



[View our product catalogue](#)

Articlelist 2026

valid from 2026



Content

Double Apron	3
Surgeon's Apron	4
Wrap Around Apron	5
Vest, Skirt, Costume	7
Coat Apron	9
Dental Apron	10
Half Apron / Gonad Protection	11
Ovary Protection	11
Breast Protection	11
T-Shield Gonad-/ Testesprotection	12
Ovary- and Gonad Protection for Infants and Babies	12
Shin Protection	12
Thyroid collar-/ Thyroid Collar for Sternum	13
X-Ray Protectioncap	13
Patient Cover	13
CT-Shields	13
X-Ray Protection Goggles	14
X-Ray Protection Gloves	14
Racks	15
Table Cover for Bucky Table	15
Cleaning of X-Ray Protection Clothing	15
Testing and Disposal of X-Ray Protection Clothing	15
X-Ray Protectionapparell acc. to personal Measurements	16
Ceiling-X-Ray Protectionshield-System	16
Mobile X-Ray Protection Wall	16
Lower Body Shield	16
Positioning Aids	17
Beltcompressors	17
Truss Pads	17
Rippstein Leg Support Device	17
X-Ray Viewing Boxes	18
Lead Markers	19
Compensating Filters	20
X-Ray Cassettes and Accessories / Spare Parts	20
Intensifying Screens	22
Detector-/Cassettes-Holder	24
Special Grids	25
Smit-Grid / Smit-Bucky Grid	25
Gridframe	26
Grid Cover	26
Heavy Duty Grid Cover	27
Weigth Distribution Platform	27
Dosimetry	28
Disometry: FingerDetector	28
Dosimetry: Weakening Body	28
Dosimetry: Mammography-Detector	28
Sensitometry Type C „Dual-Color“	28
Densi/Sensi Combination Device Denonorm 21 Eco	28
Dosimetry Additional	29
Testing Body DIGI-13	29
Dark Chamber Light – LED-X	29
Notes	30
Terms and Conditions	31

REGO Double Apron

Recommended Fields of Use:

Material:

Lead Equivalents:

Outer Cover:

Size:

Length:

Customization:

Fastening:

Shoulder Padding:

Chestpocket:

Stretch - Belt:

Embroidery:

Special Examination such as angiography, DAS, neuroradiology, cardiac catheter, urology

Leadvinyl, multilayered

Front Protection: 0,25 mm Pb; 0,35 mm Pb; 0,50 mm Pb

Back Protection: as standard 0,25 mm Pb

Nylon coated with PUJ

XS, S, M, L, XL

90 cm, 100 cm, 110 cm, 120 cm, 130 cm

on request

Simple velcro fastener left and right: Overlapping on the sides of the apron

Inclusive

Silver Line: Inclusive

Classic Line: on request

on request

					Classic Line / Standard Fit		Silver Line / Standard Fit	
Size	Measurements	Lead Equivalents Front Part	Lead Equivalents Back Part	Length	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *		
X-Small	Hipwidth 50 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700E39	760E39		
				100 cm	700E31	760E31		
				110 cm	700E32	760E32		
				120 cm	700E33	760E33		
				130 cm	700E34	760E34		
		0,35 mm Pb	0,25 mm Pb	90 cm	701E39	761E39		
				100 cm	701E31	761E31		
				110 cm	701E32	761E32		
				120 cm	701E33	761E33		
				130 cm	701E34	761E34		
		0,50 mm Pb	0,25 mm Pb	90 cm	702E39	762E39		
				100 cm	702E31	762E31		
				110 cm	702E32	762E32		
				120 cm	702E33	762E33		
				130 cm	702E34	762E34		
Small	Hipwidth 55 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700E49	760E31		
				100 cm	700E41	760E32		
				110 cm	700E42	760E33		
				120 cm	700E43	760E34		
				130 cm	700E44	761E39		
		0,35 mm Pb	0,25 mm Pb	90 cm	701E49	761E31		
				100 cm	701E41	761E32		
				110 cm	701E42	761E33		
				120 cm	701E43	761E34		
				130 cm	701E44	762E39		
		0,50 mm Pb	0,25 mm Pb	90 cm	702E49	762E31		
				100 cm	702E41	762E32		
				110 cm	702E42	762E33		
				120 cm	702E43	762E34		
				130 cm	702E44	762E44		
Medium	Hipwidth 60 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700E59	761E59		
				100 cm	700E51	760E51		
				110 cm	700E52	760E52		
				120 cm	700E53	760E53		
				130 cm	700E54	760E54		
		0,35 mm Pb	0,25 mm Pb	90 cm	701E59	761E59		
				100 cm	701E51	761E51		
				110 cm	701E52	761E52		
				120 cm	701E53	761E53		
				130 cm	701E54	761E54		
		0,50 mm Pb	0,25 mm Pb	90 cm	702E59	762E59		
				100 cm	702E51	762E51		
				110 cm	702E52	762E52		
				120 cm	702E53	762E53		
				130 cm	702E54	762E54		
Large	Hipwidth 70 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700E69	760E69		
				100 cm	700E61	760E61		
				110 cm	700E62	760E62		
				120 cm	700E63	760E63		
				130 cm	700E64	760E64		
		0,35 mm Pb	0,25 mm Pb	90 cm	701E69	761E69		
				100 cm	701E61	761E61		
				110 cm	701E62	761E62		
				120 cm	701E63	761E63		
				130 cm	701E64	761E64		
		0,50 mm Pb	0,25 mm Pb	90 cm	702E69	762E69		
				100 cm	702E61	762E61		
				110 cm	702E62	762E62		
				120 cm	702E63	762E63		
				130 cm	702E64	762E64		
X-Large	Hipwidth 80 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700E79	760E79		
				100 cm	700E71	760E71		
				110 cm	700E72	760E72		
				120 cm	700E73	760E73		
				130 cm	700E74	760E74		
		0,35 mm Pb	0,25 mm Pb	90 cm	701E79	761E79		
				100 cm	701E71	761E71		
				110 cm	701E72	761E72		
				120 cm	701E73	761E73		
				130 cm	701E74	761E74		
		0,50 mm Pb	0,25 mm Pb	90 cm	702E79	762E79		
				100 cm	702E71	762E71		
				110 cm	702E72	762E72		
				120 cm	702E73	762E73		
				130 cm	702E74	762E74		
All Articles available in 8 colors:		atlantic blue	bavarian blue	cherry red	deep pink	sunset orange		
		a	b	c	d	e		
Please indicate Color Code:		smaragd green	titan silver	sea animals	little paws	colourful buttons		
		g	h	i	j	k		
* Example for Article No. + Colorcode		Double Apron Medium / Front 0,25 Pb / Back 0,25 Pb / Length 100 cm / Classic Line-Standard Fit / Color bavarian blue : 700E51b						

X-Ray Protection "SILVER LINE", Outer Cover antibacterial **

** antibacterial effect acc. to DIN EN ISO 20743: 10-2013 confirmed by Ostthüringische Materialprüfgesellschaft für Textil und Kunststoff mbH

REGO Surgeon's Apron

Recommended Fields of use:	Operating Room, Plaster Room
Material:	Leadvinyl, multilayered
Lead Equivalents:	Front Protection: 0,25 mm Pb; 0,35 mm Pb; 0,50 mm Pb Back Protection (Back Pieces): as standard 0,25 mm Pb
Outer Cover:	Nylon coated with PU
Size:	XS, S, M, L, XL
Length:	90 cm, 100 cm, 110 cm, 120 cm
Customization:	on request
Fastening:	Velcro straps to be closed in the front
Shoulder Padding:	inclusive
Chestpocket:	Silver Line: Inclusive Classic Line: on request
Embroidery:	on request

					Classic Line / Standard Fit	Silver Line / Standard Fit
Size	Measurements	Lead Equivalents Front Part	Lead Equivalents Back Part	Length	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
X-Small	Hipwidth 55 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700H39	760H39
				100 cm	700H31	760H31
				110 cm	700H32	760H32
				120 cm	700H33	760H33
		0,35 mm Pb	0,25 mm Pb	90 cm	701H39	761H39
				100 cm	701H31	761H31
				110 cm	701H32	761H32
				120 cm	701H33	761H33
		0,50 mm Pb	0,25 mm Pb	90 cm	702H39	762H39
				100 cm	702H31	762H31
				110 cm	702H32	762H32
				120 cm	702H33	762H33
Small	Hipwidth 60 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700H49	760H49
				100 cm	700H41	760H41
				110 cm	700H42	760H42
				120 cm	700H43	760H43
		0,35 mm Pb	0,25 mm Pb	90 cm	701H49	761H49
				100 cm	701H41	761H41
				110 cm	701H42	761H42
				120 cm	701H43	761H43
		0,50 mm Pb	0,25 mm Pb	90 cm	702H49	762H49
				100 cm	702H41	762H41
				110 cm	702H42	762H42
				120 cm	702H43	762H43
Medium	Hipwidth 60 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700H59	760H59
				100 cm	700H51	760H51
				110 cm	700H52	760H52
				120 cm	700H53	760H53
		0,35 mm Pb	0,25 mm Pb	90 cm	701H59	761H59
				100 cm	701H51	761H51
				110 cm	701H52	761H52
				120 cm	701H53	761H53
		0,50 mm Pb	0,25 mm Pb	90 cm	702H59	762H59
				100 cm	702H51	762H51
				110 cm	702H52	762H52
				120 cm	702H53	762H53
Large	Hipwidth 70 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700H69	760H69
				100 cm	700H61	760H61
				110 cm	700H62	760H62
				120 cm	700H63	760H63
		0,35 mm Pb	0,25 mm Pb	90 cm	701H69	761H69
				100 cm	701H61	761H61
				110 cm	701H62	761H62
				120 cm	701H63	761H63
		0,50 mm Pb	0,25 mm Pb	90 cm	702H69	762H69
				100 cm	702H61	762H61
				110 cm	702H62	762H62
				120 cm	702H63	762H63
X-Large	Hipwidth 80 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700H79	760H79
				100 cm	700H71	760H71
				110 cm	700H72	760H72
				120 cm	700H73	760H73
		0,35 mm Pb	0,25 mm Pb	90 cm	701H79	761H79
				100 cm	701H71	761H71
				110 cm	701H72	761H72
				120 cm	701H73	761H73
		0,50 mm Pb	0,25 mm Pb	90 cm	702H79	762H79
				100 cm	702H71	762H71
				110 cm	702H72	762H72
				120 cm	702H73	762H73

All Articles available in 8 colors:	atlantic blue	bavarian blue	cherry red	deep pink	sunset orange	burgundy red	
	a	b	c	d	e	f	
Please indicate Color Code	smaragd green	titan silver	sea animals	little paws	colourful buttons	seal the sailor	
	g	h	i	j	k	l	
* Example for Article No. + Colorcode	Surgeon's Apron M / Front 0,25 Pb / Back 0,25 Pb / Length 100 cm / Silver Line-Standard Fit / Color sunset orange : 760H51e						

X-Ray Protection "SILVER LINE", Outer Cover antibacterial **

** antibacterial effect acc. to DIN EN ISO 20743: 10-2013 confirmed by Ostthüringische Materialprüfgesellschaft für Textil und Kunststoff mbH

REGO Wrap Around Apron - completely overlapping

Recommended Fields of use:	Special examination such as angiography, DAS, neuroradiology, cardiac catheter, urology
Material:	Leadvinyl, multilayered
Lead Equivalents:	Front Protection: 0,25 mm Pb; 0,35 mm Pb; 0,50 mm Pb Back Protection: as standard 0,25 mm Pb
Outer Cover:	Nylon coated with PU
Size:	XS, S, M, L, XL
Customization:	on request
Fastening:	Four velcro straps spread on the frontal overlapping side and one velcro on the shoulder
Shoulder Padding:	Inclusive
Chestpocket:	Silver Line: Inclusive Classic Line: on request
Stretch - Belt:	on request
Embroidery:	on request

Size	Measurements	Lead Equivalents Front Part	Lead Equivalents Back Part	Length	Classic Line / Comfort Line		Silver Line / Comfort Line	
					Article No. (+ Colorcode) *		Article No. (+ Colorcode) *	
X-Small	Chestwidth Comfort Fit: 82 - 88 cm	0,25 mm Pb	0,25 mm Pb	80 cm	700D38		780D38	
				90 cm	700D39		780D39	
				100 cm	700D31		780D31	
				110 cm	700D32		780D32	
				120 cm	700D33		780D33	
		0,35 mm Pb	0,25 mm Pb	80 cm	701D38		781D38	
				90 cm	701D39		781D39	
				100 cm	701D31		781D31	
				110 cm	701D32		781D32	
				120 cm	701D33		781D33	
		0,50 mm Pb	0,25 mm Pb	80 cm	702D38		782D38	
				90 cm	702D39		782D39	
				100 cm	702D31		782D31	
				110 cm	702D32		782D32	
				120 cm	702D33		782D33	
Small	Chestwidth Comfort Fit: 88 - 96 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700D49		780D49	
				100 cm	700D41		780D41	
				110 cm	700D42		780D42	
				120 cm	700D43		780D43	
		0,35 mm Pb	0,25 mm Pb	90 cm	701D49		781D49	
				100 cm	701D41		781D41	
				110 cm	701D42		781D42	
				120 cm	701D43		781D43	
		0,50 mm Pb	0,25 mm Pb	90 cm	702D49		782D49	
				100 cm	702D41		782D41	
				110 cm	702D42		782D42	
				120 cm	702D43		782D43	
Medium	Chestwidth Comfort Fit: 96 - 108 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700D59		780D59	
				100 cm	700D51		780D51	
				110 cm	700D52		780D52	
				120 cm	700D53		780D53	
		0,35 mm Pb	0,25 mm Pb	130 cm	700D54		780D54	
				90 cm	701D59		781D59	
				100 cm	701D51		781D51	
				110 cm	701D52		781D52	
				120 cm	701D53		781D53	
		0,50 mm Pb	0,25 mm Pb	130 cm	701D54		781D54	
				90 cm	702D59		782D59	
				100 cm	702D51		782D51	
				110 cm	702D52		782D52	
Large	Chestwidth Comfort Fit: 108 - 124 cm	0,25 mm Pb	0,25 mm Pb	120 cm	700D63		780D63	
				130 cm	700D64		780D64	
				100 cm	701D61		781D61	
		0,35 mm Pb	0,25 mm Pb	110 cm	701D62		781D62	
				120 cm	701D63		781D63	
				130 cm	701D64		781D64	
		0,50 mm Pb	0,25 mm Pb	100 cm	702D61		782D61	
				110 cm	702D62		782D62	
				120 cm	702D63		782D63	
				130 cm	702D64		782D64	
X-Large	Chestwidth Comfort Fit: 124 - 138 cm	0,25 mm Pb	0,25 mm Pb	100 cm	700D71		780D71	
				110 cm	700D72		780D72	
				120 cm	700D73		780D73	
				130 cm	700D74		780D74	
		0,35 mm Pb	0,25 mm Pb	100 cm	701D71		781D71	
				110 cm	701D72		781D72	
				120 cm	701D73		781D73	
				130 cm	701D74		781D74	
		0,50 mm Pb	0,25 mm Pb	100 cm	702D71		782D71	
				110 cm	702D72		782D72	
				120 cm	702D73		782D73	
				130 cm	702D74		782D74	

Sleeves for Apron **	0,25 mm Pb	Pair	700A05	780A05
Supporting Belt (Stretch)		Piece	709D05	789D05

** All Aprons are also available with sleeves. Please indicate !

All Articles available in 8 colors:	atlantic blue	bavarian blue	cherry red	deep pink	sunset orange	burgundy red
Please indicate Color Code	a	b	c	d	e	f
	smaragd green	titan silver	sea animals	little paws	colourful buttons	seal the sailor
	g	h	i	j	k	l
* Example for Article No. + Colorcode	Wrap Around Apron Large / Front 0,35 Pb / Back 0,25 Pb / Length 110 cm / Classic Line-Comfort Fit / Color smaragd green : 701D62g					

X-Ray Protection "SILVER LINE", Outer Cover antibacterial **

** antibacterial Effect according to DIN EN ISO 20743: 10-2013 confirmed by Ostthüringische Materialprüfgesellschaft für Textil und Kunststoff mbH

REGO Wrap Around Apron - partially overlapping

Recommended Fields of use:	Special examination such as angiography, DAS, neuroradiology, cardiac catheter, urology
Material:	Leadvinyl, multilayered
Lead Equivalents:	Front Protection: 0,25 mm Pb; 0,35 mm Pb; 0,50 mm Pb Back Protection: as standard 0,25 mm Pb
Outer Cover:	Nylon coated with PU
Size:	XS, S, M, L, XL
Customization:	on request
Fastening:	Four velcro straps
Shoulder Padding:	Inclusive
Chestpocket:	Silver Line: Inclusive Classic Line: on request
Stretch - Belt:	on request
Embroidery:	on request

					Classic Line / Comfort Fit	Silver Line / Comfort Fit
Size	Measurements	Pb-Value Front	Pb-Value Back	Length	Article-No. (+ Color Code) *	Article-No. (+ Color Code) *
X-Small	Chestwidth Comfort Fit: 82 - 88 cm	0,25 mm Pb	0,25 mm Pb	80 cm	700738	780738
				90 cm	700739	780739
				100 cm	700731	780731
				110 cm	700732	780732
				120 cm	700733	780733
		0,35 mm Pb	0,25 mm Pb	80 cm	701738	781738
				90 cm	701739	781739
				100 cm	701731	781731
				110 cm	701732	781732
				120 cm	701733	781733
		0,50 mm Pb	0,25 mm Pb	80 cm	702738	782738
				90 cm	702739	782739
				100 cm	702731	782731
				110 cm	702732	782732
				120 cm	702733	781733
Small	Chestwidth Comfort Fit: 88 - 96 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700749	780749
				100 cm	700741	780741
				110 cm	700742	780742
				120 cm	700743	780743
		0,35 mm Pb	0,25 mm Pb	90 cm	701749	781749
				100 cm	701741	781741
				110 cm	701742	781742
				120 cm	701743	781743
		0,50 mm Pb	0,25 mm Pb	90 cm	702749	782749
				100 cm	702741	782741
				110 cm	702742	782742
				120 cm	702743	782743
Medium	Chestwidth Comfort Fit: 96 - 108 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700759	780759
				100 cm	700751	780751
				110 cm	700752	780752
				120 cm	700753	780753
		0,35 mm Pb	0,25 mm Pb	130 cm	700754	780754
				90 cm	701759	781759
				100 cm	701751	781751
				110 cm	701752	781752
				120 cm	701753	781753
				130 cm	701754	781754
		0,50 mm Pb	0,25 mm Pb	90 cm	702759	782759
				100 cm	702751	782751
				110 cm	702752	782752
				120 cm	702753	782753
				130 cm	702754	782754
Large	Chestwidth Comfort Fit: 108 - 124 cm	0,25 mm Pb	0,25 mm Pb	100 cm	700761	780761
				110 cm	700762	780762
				120 cm	700763	780763
				130 cm	700764	780764
		0,35 mm Pb	0,25 mm Pb	100 cm	701761	781761
				110 cm	701762	781762
				120 cm	701763	781763
				130 cm	701764	781764
		0,50 mm Pb	0,25 mm Pb	100 cm	702761	782761
				110 cm	702762	782762
				120 cm	702763	782763
				130 cm	702764	782764
X-Large	Chestwidth Comfort Fit: 124 - 138 cm	0,25 mm Pb	0,25 mm Pb	100 cm	700771	780771
				110 cm	700772	780772
				120 cm	700773	780773
				130 cm	700774	780774
		0,35 mm Pb	0,25 mm Pb	100 cm	701771	781771
				110 cm	701772	781772
				120 cm	701773	781773
				130 cm	701774	781774
		0,50 mm Pb	0,25 mm Pb	100 cm	702771	782771
				110 cm	702772	782772
				120 cm	702773	782773
				130 cm	702774	782774
for Children 3-5 years	Hipwidth 35 cm	0,50 mm Pb	0,25 mm Pb	50 cm	702845	782845
for Children 6-8 years	Hipwidth 40 cm	0,50 mm Pb	0,25 mm Pb	60 cm	702856	782856
for Children 9-12 years	Hipwidth 45 cm	0,50 mm Pb	0,25 mm Pb	70 cm	702867	782867
Children Set	Set in 3 Hipwidths			Set in 3 Sizes	702810	782810
Sleeves for the apron **		0,25 mm Pb		Pair	700405	780405
Supportive Belt (Stretch)				Piece	709D05	789D05

** All Aprons are also available with sleeves. Please indicate !

All Articles available in 8 colors:	atlantic blue	bavarian blue	cherry red	deep pink	sunset orange	burgundy red
	a	b	c	d	e	f
Please indicate Color Code	smaragd green	titan silver	sea animals	little paws	colourful buttons	seal the sailor
	g	h	i	j	k	l
* Example for Article No. + Colorcode	Wrap Around Apron Large / Front 0,35 Pb / Back 0,25 Pb / Length 110 cm / Classic Line-Comfort Fit / Color smaragd green : 701D62g					

X-Ray Protection "SILVER LINE", Outer Cover antibacterial **

** antibacterial effect acc. to DIN EN ISO 20743: 10-2013 confirmed by Ostthüringische Materialprüfgesellschaft für Textil und Kunststoff mbH

X-Ray Protection for User

REGO Vest, Skirt, Costume (2-parts) - completely overlapping

Recommended Fields of Use:	Special examination such as angiography, DAS, neuroradiology, cardiac catheter, urology
Material:	Leadvinyl, multilayered
Lead Equivalents:	Front Protection: 0,25 mm Pb; 0,35 mm Pb; 0,50 mm Pb Back Protection: as standard 0,25 mm Pb
Outer Cover:	Nylon coated with PU
Size:	XS, S, M, L, XL
Customization:	on request
Fastening:	Vest: Four velcro straps on the frontal overlapping side, spread on the full length; on one of the shoulders there is an additional simple velcro for easy putting on Skirt: Velcro fastener available on full hip size fixed on the overlapping side – supplementary buckle
Shoulder Padding:	Inclusive
Chestpocket:	Silver Line: Inclusive Classic Line: on request
Embroidery:	on request

					Classic Line		Silver Line			
Size	Measurements	Lead Equivalents Front Part	Lead Equivalents Back Part	Length	Comfort Fit	Slim Fit	Comfort Fit	Slim Fit		
					Article No. (+ Colorcode) *	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *		
X-Small	Vest	Chestwidth Comfort Fit: 82 - 88 cm Slim Fit: 80 - 84 cm	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	Comfort Fit 61 cm Slim Fit 56 cm	700F30 701F30 702F30	730F30 731F30 732F30	780F30 781F30 782F30	760F30 761F30 762F30	
		Skirt	Waistwidth Comfort Fit: 64 - 72 cm Slim Fit: 62 - 68 cm	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	Comfort Fit 52 cm Slim Fit 50 cm	700G30 701G30 702G30	730G30 731G30 732G30	780G30 781G30 782G30	760G30 761G30 762G30
			Costume (Vest & Skirt)	see Measurements Vest, Skirt for Size X-Small	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	see Length Vest, Skirt for Size X-Small	700Z30 701Z30 702Z30	730Z30 731Z30 732Z30	780Z30 781Z30 782Z30
	Vest			Chestwidth Comfort Fit: 88 - 96 cm Slim Fit: 84 - 92 cm	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	Comfort Fit 62 cm Slim Fit 58 cm	700F40 701F40 702F40	730F40 731F40 732F40	780F40 781F40 782F40
		Skirt		Waistwidth Comfort Fit: 72 - 82 cm Slim Fit: 68 - 76 cm	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	Comfort Fit 55 cm Slim Fit 53 cm	700G40 701G40 702G40	730G40 731G40 732G40	780G40 781G40 782G40
			Costume (Vest & Skirt)	see Measurements Vest, Skirt for Size Small	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	see Length Vest, Skirt for Size Small	700Z40 701Z40 702Z40	730Z40 732I40 732Z40	780Z40 781Z40 782Z40
	Vest			Chestwidth Comfort Fit: 96 - 108 cm Slim Fit: 92 - 102 cm	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	Comfort Fit 63 cm Slim Fit 60 cm	700F50 701F50 702F50	730F50 731F50 732F50	780F50 781F50 782F50
		Skirt		Waistwidth Comfort Fit: 82 - 92 cm Slim Fit: 76 - 86 cm	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	Comfort Fit 58 cm Slim Fit 56 cm	700G50 701G50 702G50	730G50 731G50 732G50	780G50 781G50 782G50
			Costume (Vest & Skirt)	see Measurements Vest, Skirt for Size Medium	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	see Length Vest, Skirt for Size Medium	700Z50 701Z50 702Z50	730Z50 731Z50 732Z50	780Z50 781Z50 782Z50
	Vest			Chestwidth Comfort Fit: 108 - 124 cm Slim Fit: 102 - 114 cm	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	Comfort Fit 64 cm Slim Fit 62 cm	700F60 701F60 702F60	730F60 731F60 732F60	780F60 781F60 782F60
		Skirt		Waistwidth Comfort Fit: 92 - 104 cm Slim Fit: 86 - 98 cm	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	Comfort Fit 61 cm Slim Fit 59 cm	700G60 701G60 702G60	730G60 731G60 732G60	780G60 781G60 782G60
			Costume (Vest & Skirt)	see Measurements Vest, Skirt for Size Large	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	see Length Vest, Skirt for Size Large	700Z60 701Z60 702Z60	730Z60 731Z60 732Z60	780Z60 781Z60 782Z60
Vest	Chestwidth Comfort Fit: 124 - 138 cm Slim Fit: 114 - 126 cm			0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	Comfort Fit 65 cm Slim Fit 63 cm	700F70 701F70 702F70	730F70 731F70 732F70	780F70 781F70 782F70	760F70 761F70 762F70
	Skirt	Waistwidth Comfort Fit: 104 - 118 cm Slim Fit: 98 - 112 cm		0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	Comfort Fit 64 cm Slim Fit 62 cm	700G70 701G70 702G70	730G70 731G70 732G70	780G70 781G70 782G70	760G70 761G70 762G70
		Costume (Vest & Skirt)	see Measurements Vest, Skirt for Size X-Large	0,25 mm Pb 0,35 mm Pb 0,50 mm Pb	0,25 mm Pb 0,25 mm Pb 0,25 mm Pb	see Length Vest, Skirt for Size X-Large	700Z70 701Z70 702Z70	730Z70 731Z70 732Z70	780Z70 781Z70 782Z70	760Z70 761Z70 762Z70
Sleeves for Apron (for Vest) *			0,25 mm Pb	Pair	700A05	730A05	780A05	760A05		

* All Aprons are also available with sleeves. Please indicate !

All Articles available in 8 colors:	atlantic blue	bavarian blue	cherry red	deep pink	sunset orange	burgundy red
	a	b	c	d	e	f
Please indicate Color Code	smaragd green	titan silver	sea animals	little paws	colourful buttons	seal the sailor
	g	h	i	j	k	l
* Example for Article No. + Colorcode Vest Medium / Front 0,50 Pb / Back 0,25 Pb / Silver Line-Slim Fit / Color deep pink : 762F50d						

X-Ray Protection "SILVER LINE", Outer Cover antibacterial **

** antibacterial effect acc. to DIN EN ISO 20743: 10-2013 confirmed by Ostthüringische Materialprüfgesellschaft für Textil und Kunststoff mbH

REGO Vest, Skirt, Costume (2-piece) - partially overlapping

Recommended Fields of Material:	Special examination such as Angiography, DAS, Neuroradiology, Cardiac Catheter, Urology Leadvinyl, multilayered
Lead Equivalents:	Front Protection: 0,25 mm Pb; 0,35 mm Pb; 0,50 mm Pb Back Protection: as standard 0,25 mm Pb
Outer Cover:	Nylon coated with PU
Size:	XS, S, M, L, XL
Customization:	on request
Fastening:	Vest: 3 velcros on the front, distributed over half of the length Skirt: Velcro fastener available on full hip size fixed on the overlapping side – supplementary buckle
Shoulder Padding:	Inclusive
Chestpocket:	Silver Line: Inclusive Classic Line: on request
Embroidery:	on request

		On request		Embroidery:				Classic Line		Silver Line	
				Comfort Fit		Slim Fit		Comfort Fit		Slim Fit	
Size	Measurements	Pb-Value Front	Pb-Value Back	Length	Article-No. (+ Color-Code) *	Article-No. (+ Color-Code) *	Article-No. (+ Color-Code) *	Article-No. (+ Color-Code) *			
X-Small	Vest	Chestwidth	0,25 mm Pb	0,25 mm Pb	700530	730530	780530	760530			
		Comfort Fit: 82 - 88 cm	0,35 mm Pb	0,25 mm Pb	701530	731530	781530	761530			
		Slim Fit: 80 - 84 cm	0,50 mm Pb	0,25 mm Pb	702530	732530	782530	762530			
	Skirt	Waistwidth	0,25 mm Pb	0,25 mm Pb	700630	730630	780630	760630			
		Comfort Fit: 64 - 72 cm	0,35 mm Pb	0,25 mm Pb	701630	731630	781630	761630			
		Slim Fit: 62 - 68 cm	0,50 mm Pb	0,25 mm Pb	702630	732630	782630	762630			
	Costume (Vest & Skirt)	See Measurements for Vest, Skirt for Size X-Small	0,25 mm Pb	0,25 mm Pb	700Y30	730Y30	780Y30	760Y30			
			0,35 mm Pb	0,25 mm Pb	701Y30	731Y30	781Y30	761Y30			
			0,50 mm Pb	0,25 mm Pb	702Y30	732Y30	782Y30	762Y30			
Small	Vest	Chestwidth	0,25 mm Pb	0,25 mm Pb	700540	730540	780540	760540			
		Comfort Fit: 88 - 96 cm	0,35 mm Pb	0,25 mm Pb	701540	731540	781540	761540			
		Slim Fit: 84 - 92 cm	0,50 mm Pb	0,25 mm Pb	702540	732540	782540	762540			
	Skirt	Waistwidth	0,25 mm Pb	0,25 mm Pb	700640	730640	780640	760640			
		Comfort Fit: 72 - 82 cm	0,35 mm Pb	0,25 mm Pb	701640	731640	781640	761640			
		Slim Fit: 68 - 76 cm	0,50 mm Pb	0,25 mm Pb	702640	732640	782640	762640			
	Costume (Vest & Skirt)	See Measurements for Vest, Skirt for Size Small	0,25 mm Pb	0,25 mm Pb	700Y40	730Y40	780Y40	760Y40			
			0,35 mm Pb	0,25 mm Pb	701Y40	731Y40	781Y40	761Y40			
			0,50 mm Pb	0,25 mm Pb	702Y40	732Y40	782Y40	762Y40			
Medium	Vest	Chestwidth	0,25 mm Pb	0,25 mm Pb	700550	730550	780550	760550			
		Comfort Fit: 96 - 108 cm	0,35 mm Pb	0,25 mm Pb	701550	731550	781550	761550			
		Slim Fit: 92 - 102 cm	0,50 mm Pb	0,25 mm Pb	702550	732550	782550	762550			
	Skirt	Waistwidth	0,25 mm Pb	0,25 mm Pb	700650	730650	780650	760650			
		Comfort Fit: 82 - 92 cm	0,35 mm Pb	0,25 mm Pb	701650	731650	781650	761650			
		Slim Fit: 76 - 86 cm	0,50 mm Pb	0,25 mm Pb	702650	732650	782650	762650			
	Costume (Vest & Skirt)	See Measurements for Vest, Skirt for Size Medium	0,25 mm Pb	0,25 mm Pb	700Y50	730Y50	780Y50	760Y50			
			0,35 mm Pb	0,25 mm Pb	701Y50	731Y50	781Y50	761Y50			
			0,50 mm Pb	0,25 mm Pb	702Y50	732Y50	782Y50	762Y50			
Large	Vest	Chestwidth	0,25 mm Pb	0,25 mm Pb	700560	730560	780560	760560			
		Comfort Fit: 108 - 124 cm	0,35 mm Pb	0,25 mm Pb	701560	731560	781560	761560			
		Slim Fit: 102 - 114 cm	0,50 mm Pb	0,25 mm Pb	702560	732560	782560	762560			
	Skirt	Waistwidth	0,25 mm Pb	0,25 mm Pb	700660	730660	780660	760660			
		Comfort Fit: 92 - 104 cm	0,35 mm Pb	0,25 mm Pb	701660	731660	781660	761660			
		Slim Fit: 86 - 98 cm	0,50 mm Pb	0,25 mm Pb	702660	732660	782660	762660			
	Costume (Vest & Skirt)	See Measurements for Vest, Skirt for Size Large	0,25 mm Pb	0,25 mm Pb	700Y60	730Y60	780Y60	760Y60			
			0,35 mm Pb	0,25 mm Pb	701Y60	731Y60	781Y60	761Y60			
			0,50 mm Pb	0,25 mm Pb	702Y60	732Y60	782Y60	762Y60			
X-Large	Vest	Chestwidth	0,25 mm Pb	0,25 mm Pb	700570	730570	780570	760570			
		Comfort Fit: 124 - 138 cm	0,35 mm Pb	0,25 mm Pb	701570	731570	781570	761570			
		Slim Fit: 114 - 126 cm	0,50 mm Pb	0,25 mm Pb	702570	732570	782570	762570			
	Skirt	Waistwidth	0,25 mm Pb	0,25 mm Pb	700670	730670	780670	760670			
		Comfort Fit: 104 - 118 cm	0,35 mm Pb	0,25 mm Pb	701670	731670	781670	761670			
		Slim Fit: 98 - 112 cm	0,50 mm Pb	0,25 mm Pb	702670	732670	782670	762670			
	Costume (Vest & Skirt)	See Measurements for Vest, Skirt for Size X-Large	0,25 mm Pb	0,25 mm Pb	700Y70	730Y70	780Y70	760Y70			
			0,35 mm Pb	0,25 mm Pb	701Y70	731Y70	781Y70	761Y70			
			0,50 mm Pb	0,25 mm Pb	702Y70	732Y70	782Y70	762Y70			
Sleeves for the Apron (for the vest)		0,25 mm Pb	Pair	700405	730405	780405	760405				

* All Aprons are also available with sleeves. Please indicate !

All Articles available in 8 colors:	atlantic blue	bavarian blue	cherry red	deep pink	sunset orange	burgundy red
	a	b	c	d	e	f
Please indicate Color Code	smaragd green	titan silver	sea animals	little paws	colourful buttons	seal the sailor
	g	h	i	j	k	l
* Example for Article No. + Colorcode	Vest Medium / Front 0,50 Pb / Back 0,25 Pb / Silver Line-Slim Fit / Color deep pink : 762F50d					

X-Ray Protection "SILVER LINE", Outer Cover antibacterial **

** antibacterial effect acc. to DIN EN ISO 20743: 10-2013 confirmed by Ostthüringische Materialprüfgesellschaft für Textil und Kunststoff mbH

REGO Coat Apron (Front Apron)

Recommended Fields of use:

Gastrointestinal Tract, Neuroradiology, CT-intervention and Urology

Material:

Leadvinyl, multilayered

Lead Equivalents:

Front Protection: 0,25 mm Pb; 0,35 mm Pb; 0,50 mm Pb

Back Protection (Backwing): each as standard 0,25 mm Pb

Outer Cover:

Nylon coated with PU

Size:

XS, S, M, L, XL

Length:

90 cm, 100 cm, 110 cm, 120 cm, 130 cm

Customization:

on request

Fastening:

Back straps are overlapping in the back and are closed at one's side with two velcro fasteners (with buckle fasteners at request possible)

On request: Clip Fastener

Shoulder Padding:

Inclusive

Chestpocket:

Silver Line: Inclusive

Classic Line: on request

Embroidery:

on request

		Classic Line / Standard Fit			Silver Line / Standard Fit	
Size	Measurements	Lead Equivalents Front Part	Lead Equivalents Back Part	Length	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
X-Small	Chestwidth 82 - 88 cm	0,25 mm Pb	0,25 mm Pb	80 cm	700A38	760A38
				90 cm	700A39	760A39
				100 cm	700A31	760A31
				110 cm	700A32	760A32
				120 cm	700A33	760A33
		0,35 mm Pb	0,25 mm Pb	80 cm	701A38	761A38
				90 cm	701A39	761A39
				100 cm	701A31	761A31
				110 cm	701A32	761A32
				120 cm	701A33	761A33
		0,50 mm Pb	0,25 mm Pb	80 cm	702A38	762A38
				90 cm	702A39	762A39
				100 cm	702A31	762A31
				110 cm	702A32	762A32
				120 cm	702A33	762A33
Small	Chestwidth 88 - 96 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700A49	760A49
				100 cm	700A41	760A41
				110 cm	700A42	760A42
				120 cm	700A43	760A43
		0,35 mm Pb	0,25 mm Pb	90 cm	701A49	761A49
				100 cm	701A41	761A41
				110 cm	701A42	761A42
				120 cm	701A43	761A43
		0,50 mm Pb	0,25 mm Pb	90 cm	702A49	762A49
				100 cm	702A41	762A41
				110 cm	702A42	762A42
				120 cm	702A43	762A43
Medium	Chestwidth 96 - 108 cm	0,25 mm Pb	0,25 mm Pb	90 cm	700A59	760A59
				100 cm	700A51	760A51
				110 cm	700A52	760A52
				120 cm	700A53	760A53
				130 cm	700A54	760A54
		0,35 mm Pb	0,25 mm Pb	90 cm	701A59	761A59
				100 cm	701A51	761A51
				110 cm	701A52	761A52
				120 cm	701A53	761A53
				130 cm	701A54	761A54
		0,50 mm Pb	0,25 mm Pb	90 cm	702A59	762A59
				100 cm	702A51	762A51
				110 cm	702A52	762A52
				120 cm	702A53	762A53
				130 cm	702A54	762A54
Large	Chestwidth 108 - 124 cm	0,25 mm Pb	0,25 mm Pb	100 cm	700A61	760A61
				110 cm	700A62	760A62
				120 cm	700A63	760A63
				130 cm	700A64	760A64
		0,35 mm Pb	0,25 mm Pb	100 cm	701A61	761A61
				110 cm	701A62	761A62
				120 cm	701A63	761A63
				130 cm	701A64	761A64
		0,50 mm Pb	0,25 mm Pb	100 cm	702A61	762A61
				110 cm	702A62	762A62
				120 cm	702A63	762A63
				130 cm	702A64	762A64
X-Large	Chestwidth 124 - 138 cm	0,25 mm Pb	0,25 mm Pb	100 cm	700A71	760A71
				110 cm	700A72	760A72
				120 cm	700A73	760A73
				130 cm	700A74	760A74
		0,35 mm Pb	0,25 mm Pb	100 cm	701A71	761A71
				110 cm	701A72	761A72
				120 cm	701A73	761A73
				130 cm	701A74	761A74
		0,50 mm Pb	0,250 mm Pb	100 cm	702A71	762A71
				110 cm	702A72	762A72
				120 cm	702A73	762A73
				130 cm	702A74	762A74
for Children 4-6 years for Children 6-8 years for Children 8-11 years Children Set	Hipwidth 54 - 62 cm	0,50 mm Pb	0,25 mm Pb	60 cm	702B45	762B45
	Hipwidth 62 - 72 cm			70 cm	702B56	762B56
	Hipwidth 72 - 78 cm			80 cm	702B67	762B67
	Set in 3 Hipwidth			Set in 3 Size	702B10	762B10

All Articles available in 8 colors:	atlantic blue	bavarian blue	cherry red	deep pink	sunset orange	burgundy red
	a	b	c	d	e	f
Please indicate Color Code	smaragd green	titan silver	sea animals	little paws	colourful buttons	seal the sailor
	g	h	i	j	k	l
* Example for Article No. + Colorcode	Coat Apron X-Small / Front 0,25 Pb / Back 0,25 Pb / Length 100 cm / Classic Line-Standard Fit / Color atlantic blue : 700A31a					

X-Ray Protection "SILVER LINE", Outer Cover antibacterial **

** antibacterial effect acc. to DIN EN ISO 20743: 10-2013 confirmed by Ostthüringische Materialprüfgesellschaft für Textil und Kunststoff mbH

REGO Dental Apron Panorama Patient Cover (with Back Protection and Panorama Thyroid Collar)

Recommended Fields of use:	Panoramic Images in Orthodontics and Dentistry in sitting or upright Position
Material:	Leadvinyl, multilayered
Lead Equivalents:	Front Protection: 0,35 mm Pb; 0,50 mm Pb Back Protection: as standard 0,35 mm Pb
Outer Cover:	Nylon coated with PU
Size:	Small, Large for each Adults and Children
Customization:	on request
Closure:	Adults: simple velcro on one shoulder Children: velcro in the front, placed vertically at breast height
Shoulder Padding:	inclusive
Chestpocket:	on request
Embroidery:	on request

		Classic Line / Standard Fit		Silver Line / Standard Fit	
Size	Measurements	Lead Equivalents Front Part	Lead Equivalents Back Part	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
DC 1 / Children	Width 45 cm	0,35 mm Pb	0,35 mm Pb	701R46	761R46
		0,50 mm Pb	0,35 mm Pb	702R46	762R46
DC 2 / Children	Width 45 cm	0,35 mm Pb	0,35 mm Pb	701R57	761R57
		0,50 mm Pb	0,35 mm Pb	702R57	762R57
DA 1 / Adults	Width 60 cm	0,35 mm Pb	0,35 mm Pb	701R68	761R68
		0,50 mm Pb	0,35 mm Pb	702R68	762R68
DA 2 / Adults	Width 60 cm	0,35 mm Pb	0,35 mm Pb	701R79	761R79
		0,50 mm Pb	0,35 mm Pb	702R79	762R79

REGO Dental Apron Standard Patient Cover (with Panoramic Thyroid Collar)

Recommended Fields of use:	Sitting or laying Screening in Dentistry and Orthodontics - Patient Cover
Material:	Leadvinyl, multilayered
Lead Equivalents:	Front Protection: 0,35 mm Pb; 0,50 mm Pb
Outer Cover:	Nylon coated with PU
Size:	Small, Large for each Adults and Children
Customization:	on request
Fastening:	Simple velcro fastener for closure on the back side
Shoulder Padding:	on request
Chestpocket:	on request
Embroidery:	on request

		Classic Line / Standard Fit		Silver Line / Standard Fit	
Size	Measurements	Lead Equivalents Front Part	Lead Equivalents Back Part	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
DC 1 / Children	Width 45 cm	0,35 mm Pb	-	701S46	761S46
		0,50 mm Pb	-	702S46	762S46
DC 2 / Children	Width 45 cm	0,35 mm Pb	-	701S57	761S57
		0,50 mm Pb	-	702S57	762S57
DA 1 / Adults	Width 60 cm	0,35 mm Pb	-	701S68	761S68
		0,50 mm Pb	-	702S68	762S68
DA 2 / Adults	Width 70 cm	0,35 mm Pb	-	701S79	761S79
		0,50 mm Pb	-	702S79	762S79

REGO Dental Apron User- /Patient Cover (with Standard Thyroid Collar)

Recommended Fields of use:	Panoramic images in orthodontics and dentistry in sitting or upright position, patient protection
Material:	Leadvinyl, multilayered
Lead Equivalents:	Front Protection: 0,35 mm Pb; 0,50 mm Pb Shoulder Protection: as standard 0,35 mm Pb
Outer Cover:	Nylon coated with PU
Size:	Small, Large for each Adults and Children
Customization:	on request
Fastening:	Velcro straps to be closed in the front
Shoulder Padding:	Inclusive
Chestpocket:	on request
Embroidery:	on request

		Classic Line / Standard Fit		Silver Line / Standard Fit	
Size	Measurements	Lead Equivalents Front Part	Lead Equivalents Back Part	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
DC 1 / Children	Width 45 cm	0,35 mm Pb	0,35 mm Pb	701Q46	761Q46
		0,50 mm Pb		702Q46	762Q46
DC 2 / Children	Width 45 cm	0,35 mm Pb		701Q57	761Q57
		0,50 mm Pb		702Q57	762Q57
DA 1 / Adults	Width 60 cm	0,35 mm Pb		701Q68	761Q68
		0,50 mm Pb		702Q68	762Q68
DA 2 / Adults	Width 70 cm	0,35 mm Pb		701Q79	761Q79
		0,50 mm Pb		702Q79	762Q79

All Articles available in 8 colors:	atlantic blue	bavarian blue	cherry red	deep pink	sunset orange	burgundy red
	a	b	c	d	e	f
Please indicate Color Code	smaragd green	titan silver	sea animals	little paws	colourful buttons	seal the sailor
	g	h	i	j	k	l
* Example for Article No. + Colorcode: Dental Apron Panorama Patient Cover / Small Adults / Front 0,35 Pb / Back 0,35 Pb / Silver Line-Standard Fit / Color cherry red: 761R68c						

X-Ray Protection "SILVER LINE", Outer Cover antibacterial **

** antibacterial effect acc. to DIN EN ISO 20743: 10-2013 confirmed by Ostthüringische Materialprüfgesellschaft für Textil und Kunststoff mbH

REGO Half Apron / Gonad Protection

Recommended Fields of use:	Thoracic- and upper Abdominal-Examinations
Material:	Leadvinyl, multilayered
Lead Equivalents:	Front Protection: 0,50 mm Pb
Outer Cover:	Nylon coated with PU
Size:	Adults: A1 (Small), A2 (Large) Children: C1 (Small), C2 (Large)
Set:	containing A1, A2, C1, C2
Customization:	on request
Fastening:	Velcro or Hip Clamp Grip
Embroidery:	on request

				Classic Line / Standard Fit	Silver Line / Standard Fit	
	Size	Fastening	Measurements (Length x Width)	Lead Equivalents Front Part	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
Half Apron / Gonad Protection	C1 / Children	Velcro Fastener	20 x 25 cm	0,50 mm Pb	702J40	762J40
	C2 / Children		30 x 30 cm	0,50 mm Pb	702J50	762J50
	A1 / Adults		37 x 40 cm	0,50 mm Pb	702J60	762J60
	A2 / Adults		45 x 50 cm	0,50 mm Pb	702J70	762J70
	Set		containing A1, A2, C1, C2	0,50 mm Pb	702J10	762J10
	C1 / Children	Hip Clamp Grip	20 x 25 cm	0,50 mm Pb	702I40	762I40
	C2 / Children		30 x 30 cm	0,50 mm Pb	702I50	762I50
	A1 / Adults		37 x 40 cm	0,50 mm Pb	702I60	762I60
	A2 / Adults		45 x 50 cm	0,50 mm Pb	702I70	762I70
	Set		containing A1, A2, C1, C2	0,50 mm Pb	702I10	762I10
Hip Clamp Grip for Half Aprons (Spare Parts)	C1 / Children	-	20 x 25 cm	-	799I45	-
	C2 / Children	-	30 x 30 cm	-	799I55	-
	A1 / Adults	-	37 x 40 cm	-	799I65	-
	A2 / Adults	-	45 x 50 cm	-	799I75	-

REGO Ovary Protection

Material:	Leadvinyl, multilayered
Lead Equivalents:	Direct Ovary Protection: 1,0 mm Pb Indirect Ovary Protection: 2,0 mm Pb
Outer Cover:	Nylon coated with PU
Size:	Direct Ovary Protection: Small, Medium, Large (in atlantic blue) Indirect Ovary Protection: 5 Inlays with growing Size
Set:	Direct Ovary Protection: containing Small, Medium, Large and a belt Indirect Ovary Protection: Frame (170 x 170 mm/ 176 x 176 mm) and 5 inlays with growing size
Fastening:	Direct Ovary Protection: Velcro Fastener

			Classic Line / Standard Fit	Silver Line / Standard Fit
	Size	Lead Equivalents Front Part	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
Ovary Protection (direct) with belt	Small	1,00 mm Pb	703M40	763M40
	Medium	1,00 mm Pb	703M50	763M50
	Large	1,00 mm Pb	703M60	763M60
	Set in 3 Size	1,00 mm Pb	703M10	763M10
Spare Belt for Classic Line or Silver Line			709M05	
Ovary Protection (Indirect)	for Rail Distance 170 mm and 176 mm / Set with 5 Size	2,00 mm Pb	794N10	- -
	for other Rail Distances / Set with 5 Size	2,00 mm Pb	794N50	
	for Rail Distance 170 mm and 176 mm, extra Inserts / Single	2,00 mm Pb	794N40	
	only frame		799N05	

REGO Breast Shield

Material:	Leadvinyl, multilayered
Lead Equivalents:	0,50 mm Pb
Outer Cover:	Nylon coated with PU
Size:	Standard
Fastening:	Velcro Fastener

				Classic Line / Standard Fit	Silver Line / Standard Fit
	Size	Fastening	Lead Equivalents Front Part	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
Breast Shield	Standard	Velcro Fastener	0,50 mm Pb	702O00	762O00

All Articles available in 8 colors:	atlantic blue	bavarian blue	cherry red	deep pink	sunset orange	burgundy red
Please indicate Color Code	a	b	c	d	e	f
	smaragd green	titan silver	sea animals	little paws	colourful buttons	seal the sailor
	g	h	i	j	k	l

* Example for Article No. + Colorcode: Half Apron - Gonad Protection / C2 Children / with Velcro Fastener / Classic Line-Standard Fit / Color bavarian blue: 702J50b
(Ovary Protection (direct) only in atlantic blue) (Ovary Protection (Indirect) in Standard)

X-Ray Protection "SILVER LINE", Outer Cover antibacterial **

** antibacterial effect acc. to DIN EN ISO 20743: 10-2013 confirmed by Ostthüringische Materialprüfgesellschaft für Textil und Kunststoff mbH

REGO T-Shield Gonad-/ Testesprotection

Recommended Fields of use:	Thoracic- and upper Abdominal-Examinations
Material:	T-Shield Gonad Protection: Leadvinyl, multilayered Testesprotection: single layer lead vinyl from natural rubber
Lead Equivalents:	Wrap Around Protection: 1,0 mm Pb
Outer Cover:	T-Shield Gonad Protection: Nylon coated with PU
Size:	T-Shield Gonad Protection: Small (up to 9 years, red), Medium (up to 14 years, green), Large (from 15 years, blue) Testesprotection, white: Adults: 135 x 105 x 60 mm / Boys: 103 x 85 x 55 mm
Set:	T-Shield Gonad Protection: Small, Medium, Large
Customization:	on request
Fastening:	T-Shield Gonad Protection: Velcro Fastener Testesprotection: Spring-/ Box Closing

				Classic Line / Standard Fit	Silver Line / Standard Fit
	Size	Fastening	Lead Equivalents Front Part	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
T-Shield Gonad Protection	Small	Velcro Fastener	1,00 mm Pb	703K40	763K40
	Medium		1,00 mm Pb	703K50	763K50
	Large		1,00 mm Pb	703K60	763K60
	Set in 3 Size		1,00 mm Pb	703K10	763K10
Testesprotection	Boys	Spring Fastener	1,00 mm Pb	793L40	-
	Adults		1,00 mm Pb	793L60	
Hygienic bags for T-Shield or Testes Gonad Protection (100 pcs. Pack)	Small	-	-	799K45	-
	Medium			799K55	
	Large			799K65	

REGO Ovary- and Gonad Protection for Infants and Babies

Material:	Leadvinyl, multilayered
Lead Equivalents:	1,0 mm Pb
Outer Cover:	Nylon coated with PU Girls Small: cherry red (0-2 years) Girls Large: Pink (3-6 years) Boys Small: bavarian blue (0-2 years) Boys Large: atlantic blue (3-6 years)
Size/ Colors:	Outer Cover and Lead-Inlay
Set:	Velcro Fastener on the capsule of the Gonad Protection and on the belt for Ovary- and Gonad Protection
Fastening:	Lead can be removed from the Outer Cover. Outer Cover is washable. Lead and Outer Cover individually available
Specials:	

			Silver Line / Standard Fit
	Size	Lead Equivalents	Article No. (+ Colorcode) *
Ovary Protection Girls with belt "Daphne"	Small	1,00 mm Pb	773M40
	Large	1,00 mm Pb	773M60
	Set in 2 Size	1,00 mm Pb	773M10
Gonad Protection Boys with belt "Apollo"	Small	1,00 mm Pb	773K40
	Large	1,00 mm Pb	773K60
	Set in 2 Size	1,00 mm Pb	773K10
Spare Lead-Inlay Girls	Small	1,00 mm Pb	773M45
	Large	1,00 mm Pb	773M65
Spare Lead-Inlay Boys	Small	1,00 mm Pb	773K45
	Large	1,00 mm Pb	773K65
Spare Outer Cover fabric Girls	Small	-	779M45
	Large	-	779M65
Spare Outer Cover fabric Boys	Small	-	779K45
	Large	-	779K65

REGO Shin Protection, flexible

Material:	Leadvinyl, multilayered
Lead Equivalents:	Wrap Around Protection: 0,50 mm Pb
Outer Cover:	Nylon coated with PU
Size:	Standard
Set:	Pair
Customization:	on request
Fastening:	Velcro Fastener

				Classic Line / Standard Fit	Silver Line / Standard Fit
	Size	Fastening	Lead Equivalents Front Part	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
Shin Protection, flexible	Standard 51.5 cm x 35 cm	Velcro Fastener	0,50 mm Pb	702P00	762P00

Information regarding Colors:
1-) T-Shield Gonad Protection in Standard Colors: Small (up to 9 years, red), Medium (up to 14 years, green), Large (from 15 years, blue)
2-) Testesprotection only in white
3-) Hygienic Bags only in Transparent
4-) Ovary- and Gonad Protection for Infants and Babies in Standard Colors: Girls Small: cherry red (0-2 years), Large: Pink (3-6 years), Boys Small: bavarian blue (0-2 years), Large: atlantic blue (3-6 years)

All Articles available in 8 colors:	atlantic blue	bavarian blue	cherry red	deep pink	sunset orange	burgundy red
	a	b	c	d	e	f
Please indicate Color Code	smaragd green	titan silver	sea animals	little paws	colourful buttons	seal the sailor
	g	h	i	j	k	l
* Example for Article No. + Colorcode	Wrap Around Apron Large / Front 0,35 Pb / Back 0,25 Pb / Length 110 cm / Classic Line-Comfort Fit / Color smaragd green : 701D62g					

X-Ray Protection "SILVER LINE", Outer Cover antibacterial **

** antibacterial effect acc. to DIN EN ISO 20743: 10-2013 confirmed by Ostthüringische Materialprüfgesellschaft für Textil und Kunststoff mbH

REGO Thyroid Collar Standard/ Thyroid Collar for Sternum

Material:	Leadvinyl, multilayered
Lead Equivalents:	0,50 mm Pb
Outer Cover:	Nylon coated with PU
Size:	Panorama: Small, Large Standard: Small, Large Sternum: Universal Size
Fastening:	Simple Velcro Fastener or Magnet on the neck band
Hygienic Liners:	on request

			Classic Line / Standard Fit		Silver Line / Standard Fit
	Size	Fastening	Lead Equivalents Front Part	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
Panoramic Thyroid Collar	Small	Velcro Fastener	0,50 mm Pb	702X40	762X40
	Large		0,50 mm Pb	702X60	762X60
	Small	Magnet Fastener	0,50 mm Pb	702c40	762c40
	Large		0,50 mm Pb	702c60	762c60
Standard Thyroid Collar	Small	Velcro Fastener	0,50 mm Pb	702V40	762V40
	Large		0,50 mm Pb	702V60	762V60
	Small	Magnet Fastener	0,50 mm Pb	702a40	762a40
	Large		0,50 mm Pb	702a60	762a60
Thyroid Collar for Sternum	Universal Size	Velcro Fastener	0,50 mm Pb	702W40	762W00
		Magnet	0,50 mm Pb	702b40	762b40
Hygienic Liners Thyroid Collar	20 pcs./Pack	-	-	799V05	-

REGO X-Ray Protection Cap

Material:	Leadvinyl, multilayered
Lead Equivalents:	0,35 mm Pb; 0,50 mm Pb
Outer Cover:	Nylon coated with PU
Size:	Small, Large
Fastening:	Band for closure on the back of the head

			Classic Line / Standard Fit		Silver Line / Standard Fit
	Size	Fastening	Lead Equivalents Front Part	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
X-Ray Protection Cap Model Bonnet	Small	with Band	0,35 mm Pb	701U40	761U40
			0,50 mm Pb	702U40	762U40
	Large	with Band	0,35 mm Pb	701U60	761U60
			0,50 mm Pb	702U60	762U60

REGO Patient Cover

Material:	Leadvinyl, multilayered
Lead Equivalents:	0,50 mm Pb; 1,0 mm Pb
Outer Cover:	Nylon coated with PU
Size:	60 x 60 cm, 60 x 90 cm and 120 x 60 cm
Custom-Made:	on request

			Classic Line / Standard Fit		Silver Line / Standard Fit
	Size		Lead Equivalents Front Part	Article No. (+ Colorcode) *	Article No. (+ Colorcode) *
Patient Cover	60 cm x 60 cm		0,50 mm Pb	702T40	762T40
			1,00 mm Pb	703T40	763T40
	60 cm x 90 cm		0,50 mm Pb	702T50	762T50
			1,00 mm Pb	703T50	763T50
	60 cm x 120 cm		0,50 mm Pb	702T60	762T60
			1,00 mm Pb	703T60	763T60

REGO CT-Protection-Shield

Material:	Barium Sulphate Impregnated Vinyl, Leadfree
Lead Equivalents:	CT-Eye-Shield 0,07 mm Pb ; CT-Thyroid-Shield 0,125 mm Pb
Outer Cover:	2-Layer-Model: Vinyl, Foam
Specials:	Universally fitting Shape Cut, Single Use
Set:	available in 10 and 50 Packs

	Pieces in Packaging	Lead Equivalents	Article No.	
CT-Eye-Shield	10	0,07 mm Pb	414001	(BASIC UDI-DI: 426040542CTABN)
	50		414002	
CT-Thyroid-Shield	10	0,125 mm Pb	414003	(BASIC UDI-DI: 426040542CTSCS)
	50		414004	

All Articles available in 8 colors (CT only in Standard):	atlantic blue	bavarian blue	cherry red	deep pink	sunset orange	burgundy red
	a	b	c	d	e	f
Please indicate Color Code	smaragd green	titan silver	sea animals	little paws	colourful buttons	seal the sailor
	g	h	i	j	k	l
* Example for Article No. + Colorcode	Panorama thyroid collar / Large / Velcro Fastener / Classic Line-Standard Fit / Color atlantic blue: 702X60a					

X-Ray Protection "SILVER LINE", Outer Cover antibacterial **

** antibacterial effect acc. to DIN EN ISO 20743: 10-2013 confirmed by Ostthüringische Materialprüfgesellschaft für Textil und Kunststoff mbH

REGO X-Ray Protection Goggles

Material:	Leadglass
Lead Equivalents:	Panorama 0,75 mm Pb (+/- 0,05 mm Pb) ; Ultra Light and Fitover 0,75 mm Pb (+/- 0,05 mm Pb)
Outer Cover/ Colors:	Panorama: high-quality Acetate, brown Ultra Light: durable Nylon, black/silver Fitover: durable Nylon, black
Total Weight:	Panorama 83 gr ; Ultra Light 64 gr ; Fitover 115 gr
Specials:	Panorama: with and without RX-Job available, Correction from +4,0 up to -7,0 dioptries possible Ultra Light: with and without RX-Job available, Correction from +3,0 up to -3,0 dioptries possible Fitover: Put on regular glasses, without RX-Job
Set:	1 x Goggles, 1 x Goggles-Box, 1 x Goggle-Cord, 1 x REGO-Goggles Cleaning Cloth

	Characteristics	Color	Lead Equivalents	Weight	Article No.
Panorama	Leadglass				424001
	with RX-Job Single Vision Goggles *	brown	0,75 mm Pb	83 gr	424030
	with RX-Job bifocal Goggles *				424031
	with RX-Job progressive Goggles *				424032
Ultra Light	Leadglass				424106
	with RX-Job Single Vision Goggles *	black/silver	0,75 mm Pb	64 gr	424040
	with RX-Job bifocal Goggles *				424041
	with RX-Job progressive Goggles*				424042
Fitover	Leadglass	black	0,75 mm Pb	115 gr	424107

* Please indicate the exact values acc. to your eyesight data or eyesight pass

REGO X-Ray Protection Gloves

Material:	Mixture of leadfree elements
Protection-Values:	Light, Medium
Outer Cover/ Colors:	durable Nylon, khaki or yellow
Size:	6; 6,5; 7; 7,5; 8; 8,5; 9
Specials:	Sterile Single Use Gloves

	Material Thickness	Absorption 60 kV *	Absorption 80 kV *	Absorption 100 kV *	Size	Article No.
X-Ray Protection Surgeon's Gloves	Light appx. 0,20 mm	39%	32%	27%	6,5	423201
					7	423202
					7,5	423203
					8	423204
					8,5	423205
					9	423206
Natural Latex with hypoallergenic inner coating	Medium appx. 0,35 mm	55%	45%	39%	6,5	423301
					7	423302
					7,5	423303
					8	423304
					8,5	423305
					9	423306

* Absorption Values with (+ / - 5%)

Material:	Leadvinyl, multilayered
Lead Equivalents:	0,25 mm Pb, 0,35 mm Pb, 0,50 mm Pb
Outer Cover/ Colors:	Nylonfabric with PU-Coating, blue
Size:	Universal Size
Specials:	Opening on the inner side with additional thumb protection

	Size	Lead Equivalents	Article No.
X-Ray Protection Gloves with Thumb Protection	Universal Size	0,25 mm	423021
		0,35 mm	423026
		0,50 mm	423031

Material:	Leadvinyl
Lead Equivalents:	0,50 mm Pb
Outer Cover/ Colors:	Imitation leather, foamlined; dark blue; for bigger order quantities: also burgundy red
Size:	Universal Size
Specials:	seamless

	Size	Lead Equivalents	Article No.
X-Ray Protection gloves with imitation leather	Universal Size	0,50 mm Pb	422252

REGO Racks

(BASIC UDI-DI: 426040542SLSEJ)

Material:	stainless steel
Specials:	tiltable, swivelling (left and right), one way swivelling, fixed
Models:	see below

	Specialities	Model	Article No.
Wall Racks	tiltable	for 1 Coat Apron	400001
		for 1 Coat Apron + 1 Pair X-Ray Protection Gloves	400002
	swivelling (left/right)	for 1 X-Ray Protection Apron	400006
		for 2 X-Ray Protection Aprons	400025
		for 3 X-Ray Protection Aprons	400105
		for 10 X-Ray Protection Aprons (5 to the left, 5 to the right)	400106
	one way swivel	for 5 X-Ray Protection Aprons (to the left)	400004
		for 5 X-Ray Protection Aprons (to the right)	400104
	fixed	for 4 Half Aprons with Hip Clamp Grip	400003
		for 1 Dental-, Surgeon's-, Half Apron or Patient Cover	400007
Mobile Racks	mobile	for 1 Pair X-Ray Protection Gloves	400008
		for 2 Pair X-Ray Protection Gloves	400009
		for 3 Pair X-Ray Protection Gloves	400010
		for 5 X-Ray Protection Aprons	400011
		for 5 X-Ray Protection Aprons + 2 Pair gloves	400012
		for 6 X-Ray Protection Aprons	400020
		for 10 X-Ray Protection Aprons	400013
		for 10 X-Ray Protection Aprons + 3 Pair gloves	400014
		for 10 Combinations Vest/Skirt	400018
		for 5 X-Ray Protection Aprons + 5 Combinations Vest/Skirt	400019
Hangers	simple, sturdy and versatile usable – REGO Hangers steel simple, sturdy and versatile usable – REGO Hangers stainless steel simple, sturdy and versatile usable – REGO Hangers wooden	for 5 Combinations Vest/skirt 2-stage hanging (top/bottom)	400022
		for 10 Combinations Vest/skirt 2-stage hanging (top/bottom)	400023
			400021

to clip the skirts to the hangers, skirt hooks are additionally available

Skirt Hooks Set, 2 Piece : 10,00€ / Article No. 400017

Transportbox (mobile Racks): appx. 100,00€ / Article No. 400037

2-part box for mobile Racks: 15,00€ / Article No. 400038

REGO Table Cover for Buckytable

(BASIC UDI-DI: 426040542ADB9W)

Material:	Foam Core
Outer Cover/ Colors:	imitation leather coating, royale blue; other colors on request
Size:	55 x 200 x 1 cm, 55 x 200 x 2 cm, 55 x 200 x 3 cm; Custom-Measurements on request

	Measurements (WxLxH)	Article No.
Table Cover for Buckytable	55 x 200 x 1 cm	611001
	55 x 200 x 2 cm	611002
	55 x 200 x 3 cm	611003

REGO Cleaning Agent of X-Ray Protection Clothing

(BASIC UDI-DI: 426040542RMREE)

Fields of use:	Cleaning of X-Ray Protection Clothing
Chemical Components:	2% Concentrate 98% Dist. Water
Color:	liquid, green
Specials:	fresh and decent smelling, aldehyde free
Set:	250 ml bottle with diffuser

	Article No.
Cleaning Agent for X-Ray Protection Clothing, Bottle 250 ml, with diffuser	201050


REGO Testing and disposal of X-Ray Protection Clothing

	Model	Article No.
Testing X-Ray Protection Article acc. to DIN 6857-2 incl. Documentation (Testing / Quality Testing of your Protection Clothing acc. to DIN 6857-2 through scanning)	up to 5 Article	201056
	up to 50 Article	201057
	up to 100 Article	201058
	from 100 Article	201059
Disposal of X-Ray Protection Aprons	each Apron	960007

REGO X-Ray Protection Apparell acc. to measurements



Perfekter Sitz und maximale Strahlensicherheit!
Bitte übermitteln Sie uns folgende Maße zusätzlich zum gewünschten Schürzenmodell – so machen wir die REGO Röntgenschürze zu Ihrer perfekt passenden Schürze!



Ceiling Mounted X-Ray Protection Shield (System) (BASIC UDI-DI: 426040542DSSCU)

Ceiling Joint	Sturdy metal construction to attach it to the ceiling for bridging lowered ceiling parts Length: 37-144cm Load Capacity: 30 kg Inclusive cover hood: 2-, 3-, 4 Screening possible
Lengthening Arm	Reach/Length: 60.75.85 or 95 cm Rotation: 360° rotatable around ceiling joint Assembly: Attached to spring arm Length: 90 cm Load Capacity: up to 21 kg
Spring Arm:	Rotation: vertical, in intervals of each 15°, from -45° up to +45° Assembly: Attached to connecting arm inner space, spring allows weight-balancing of the shield and fixation in each position Length: 60 cm or 80 cm
Protection Shield-Connection Arm:	Rotation: 360° rotatable around the vertical axis, Tilt of the shield from app. -5° up to +45° Assembly: Attachment to Protection Shield through ball joint Inclusive Black thermoplastic grip to move the arm Measurements: Lead-acrylic glass window 77 x 62 x 1,2cm
Protection Shield-Plate:	Lead Equivalents: 0.50 mm Pb Rotation: rotatable 360° around the joint Customization: other Measurements or Curvation on request

Article No.
Ceiling Mounted X-Ray Protection Shield (System) 222700

REGO mobile X-Ray Protection Wall (BASIC UDI-DI: 426040542RSWFA)

Material:	Wooden Plate with Lead-Inlay
Lead Equivalents:	X-Ray Protection Wall: : 1,0 mm Pb, 2,0 mm Pb X-Ray Protection Window: : 2,1 mm Pb
Outer Cover/ Colors:	Frame made of Aluminium-Profile, Chassis made of Steel with rotatable rolls (with brakes), white
Size:	X-Ray Protection Wall: white: 95 x 195 cm (B x H), Sides: 50 x 195 cm (only 3-piece) X-Ray Protection Window: 30 x 40 cm, 40 x 50 cm, 80 x 80 cm
Weight:	1-piece: 1,0 mm Pb: app. 77 kg ; 2,0 mm Pb: app. 103 kg 3-piece: 1,0 mm Pb: app. 155 kg ; 2,0 mm Pb: app. 205 kg
Customization:	on request

	Model	Lead Equivalents	Window Model	Article No.
X-Ray Protection Wall mobile, 95 x 195 cm	Model R 1010	1,0 mm Pb	without window	222620
	Model R 1011		30 x 40 cm	222621
	Model R 1012		40 x 50 cm	222622
	Model R 1013		80 x 80 cm	222623
	Model R 1020	2,0 mm Pb	without window	222630
	Model R 1021		30 x 40 cm	222631
	Model R 1022		40 x 50 cm	222632
	Model R 1023		80 x 80 cm	222633
X-Ray Protection Wall mobile, 3-piece (middle part 95 x 195 cm, side parts each 50 x 195 cm)	Modell R 1040	1,0 mm Pb	without window	222650
	Modell R 1041		30 x 40 cm	222651
	Modell R 1042		40 x 50 cm	222652
	Modell R 1043		80 x 80 cm	222653
	Modell R 1030	2,0 mm Pb	without window	222635
	Modell R 1031		30 x 40 cm	222636
	Modell R 1032		40 x 50 cm	222637
	Modell R 1033		80 x 80 cm	222638

Transportbox/Special Packaging for X-Ray Protection Wall (necessary): 126,00€ / Article No. 222640

Other Measurements / Pb-Values on request !

REGO Lower Body Shield (BASIC UDI-DI: 426040542UKSER)

Material:	Lead Vinyl, Stainless Steel
Lead Equivalents:	Pb 0,50 mm, on request: Pb 1,0 mm
Assembly:	on Buckytable
Outer Cover/ Colors:	Grey
Size:	110 x 76 cm
Weight:	Metal Part: ca. 4 kg, Leadcurtain: Pb 0,50 mm: 7,4 kg
Customization	on request

	Type	Lead Equivalent	Use	Article-No.
REGO Lower Body Shield	foldable	0,5 mm Pb	on Buckytable	222701

REGO Positioning Aids

(BASIC UDI-DI: 426040542LGHCA)

Material:	made of Foam	made of Polyethylen	coated
Properties:	X-Ray permiable, uncoated, open pores	X-Ray permiable, washable, moisture safe, disinfactable	X-Ray permiable, washable
	Shape of Choice	Model	Article No.
made of Foam, uncoated	Flat wedge 15°	200 x 250 x 70 mm / 10 mm	614001
	Small wedge 45°	120 x 200 x 60 mm	614002
	Large wedge 45°	250 x 200 x 125 mm	614003
	Rectangular Pillow	200 x 250 x 70 mm	614004
	Circular Pillow with hole	Ø 200 x 50 mm / Ø 70 mm	614005
	Roll	Ø 110 x 250 mm	614006
	Circular Pillow	Ø 200 x 50 mm	614007
	Standard Set 10 piece	Standard Set, 10-piece containing: 2 x 614001, 2 x 614002, 2 x 614003, 614004, 614005, 614006, 614007	614012
	Cranial Shape a.-p.	200 x 250 x 100 mm	614008
	Cranial Shape p.-a.	200 x 250 x 100 mm	614009
	Cranial Shape lateral right	250 x 250 x 100 mm	614010
	Cranial Shape lateral left	250 x 250 x 100 mm	614011
	Cranial Shape Set 4 piece	-	614014
	Model ULM	360 x 650 x 200 mm	614118
	Flat wedge 15°	180 x 240 x 70/10 mm	614101
made of Foam, coated	Small wedge 45°	120 x 200 x 60 mm	614102
	Large wedge 45°	240 x 180 x 120 mm	614103
	Rectangular Pillow	180 x 240 x 70 mm	614104
	Circular Pillow with hole	Ø 200 x 50 mm / Ø 70 mm	614105
	Roll	Ø 100 x 250 mm	614106
	Circular Pillow	Ø 220 x 50 mm	614107
	Standard Set 10 piece	Standard Set, 10-piece containing: 2 x 614101, 2 x 614102, 2 x 614103, 614104, 614105, 614106, 614107	614112
	Long Wedge 45°	240 x 360 x 120 mm	614116
	Long Wedge 45°	240 x 540 x 120 mm	614117
	Cranial Shape a.-p.	200 x 250 x 100 mm	614108
	Cranial Shape p.-a.	200 x 250 x 100 mm	614109
	Cranial Shape lateral right	250 x 250 x 100 mm	614110
	Cranial Shape lateral left	250 x 250 x 100 mm	614111
	Baby Shape	-	614114
	Infant Shape	-	614115
made of Polyethylene	Flat wedge 15°	180 x 240 x 70 mm / 10 mm	614201
	Small wedge 45°	100 x 180 x 50 mm	614202
	Large wedge 45°	240 x 180 x 120 mm	614203
	Rectangular Pillow	180 x 240 x 50 mm	614204
	Circular Pillow with hole	Ø 200 x 50 mm / Ø 50 mm	614205
	Roll	Ø 100 x 250 mm	614206
	Circular Pillow	Ø 220 x 50 mm	614207
	Standard Set 10 piece	Standard Set, 10-piece containing: 2 x 614201, 2 x 614202, 2 x 614203, 614204, 614205, 614206, 614207	614212
Case for Positioning Aids (without Content)			614250

REGO Beltcompressor

(BASIC UDI-DI: 426040542GKPCD)

Field of Use:	Screening of the Abdominal Region
Material/ Color:	Suspension Fabric: 80% Polyester, 20% Cotton; white
Size:	Suspensors: Aluminium and plastic
Weight:	Beltwidth: 24 cm, Beltp length: 114 cm, 1-Suspender, 2-Suspender
Assembly:	1-Suspender: 1 kg / 2-Suspender: 1.8 kg
Customization:	Slide in integrated T-Slot rail of the grid wall tripod and fixation with adjusting screw
	On request also available for other rails systems

	Model	Article No.
Beltcompressor for abdominal Screening, for T-Slot Rail	with 1 Suspender	612002
	with 2 Suspenders	612003

REGO Truss Pads

(BASIC UDI-DI: 426040542PLTE5)

Field of Use:	Screening of Abdominal Region
Material/ Color:	Eloxieries Aluminium, gum cap
Weight:	app. 1,6 kg / Pair
Assembly:	Slide in integrated T-Slot rail of grid wall tripod and fixation/adjustment with adjusting screw

	Article No.
Truss Pads for T-Slot rail, 1 Pair	612001

REGO Rippstein Leg Support Device for Patient Positioning

(BASIC UDI-DI: 426040542RPSE)

Fields of use:	Antetorsion-Exposures
Material:	stainless steel, cellular rubber
Weight:	4-5 kg
Measurements:	Width: max. app. 70 cm / Höhe: max. app. 45 cm
Specials:	Inclusive two sizes for lower leg holder. Adjustable in width and height with screw mechanism. Fixation of the chassis in T-Slot or an lateral profile rail of the X-Ray table

	Article No.
Rippstein-Device (Leg Fixator for patient positioning for Antetorsions-Screening) > fully made of stainless steel <	614300

REGO X-Ray Viewing Box

(BASIC UDI-DI: 426040542RSKEJ)

Material:	Plastic frame with Aluminium-Backwall
Light:	LED, 6.000 cd/m ² (=19.000,00 Lux)
Color:	White RAL 9016
Specials:	Depth 35 mm, with light control, automatic On-/Off-Switch available. Wall-Assembly, Screen Usage

	Frame-Measurements	Screen-Measurements	Weight	Article No.
Flat Viewing Boxes LED 36, 1 light, 65W	43 x 52 x 35 cm	36 x 43 x 3,5 cm	4,5 kg	643040
Flat Viewing Boxes LED 72, 2 lights, 125W	79,5 x 52 x 35 cm	72 x 43 x 3,5 cm	8 kg	643041
Flat Viewing Boxes LED 108, 3 lights, 180W	116 x 52 x 35 cm	108 x 43 x 3,5 cm	12 kg	643042
Flat Viewing Boxes LED 144, 4 lights, 250W	152 x 52 x 35 cm	144 x 43 x 3,5 cm	16 kg	643043

Model for recessed Wall-Assembly

	Frame-Measurements	Screen-Measurements	Weight	Article No.
Flat Viewing Boxes LED 36WS, 1 light, 65W	43 x 52 x 35 cm	36 x 43 x 3,5 cm	4,5 kg	643044
Flat Viewing Boxes LED 72WS, 2 lights, 125W	79,5 x 52 x 35 cm	72 x 43 x 3,5 cm	8 kg	643045
Flat Viewing Boxes LED 108WS, 3 lights, 180W	116 x 52 x 35 cm	108 x 43 x 3,5 cm	12 kg	643046
Flat Viewing Boxes LED 144WS, 4 lights, 250W	152 x 52 x 35 cm	144 x 43 x 3,5 cm	16 kg	643047
Table-Top Option (additionally on request)				

Material:	Metal Frame
Light:	Fluorescent Tube (4 Lamps 15W each light), 4.200 cd/m ² (+/- 25%)
Color:	white powdercoated
Specials:	Inclusive electronic ballast, separate panels, improved light quality

	Model	Frame-Measurements	Screen-Measurements	Weight	Article No.
Viewing Boxes with electronic ballast Model R	R 35 1p+	38 x 51 x 9,2 cm	36 x 43 cm (1 light)	6 kg	643221
	R 70 2p+	74 x 51 x 9,2 cm	72 x 43 cm (2 lights)	11,2 kg	643223
	R 105 3p+	111 x 51 x 9,2 cm	108 x 43 cm (3 lights)	16,4 kg	643224
	R 140 4p+	146 x 51 x 9,2 cm	144 x 43 cm (4 lights)	21,6 kg	643225
	R 2 x 120 6p+	2 x 120 x 43 x 9,2 cm	2 x 108 x 43 cm (2 rows each 3 lights)	322 kg	643226

Material:	Metal Frame
Light:	Fluorescent Tube (10 Tubes à 36W), >7.000 cd/m ²
Color:	white powdercoated
Specials:	Inclusive electronic ballast, improved light quality, inclusive stepless, brightness control (10-100%) Inclusive 4 blends MJHF 2 x 96 x 30: mobile holder

	Model	Frame-Measurements	Screen-Measurements	Weight	Article No.
Mammography-Viewing Boxes	MJHF 96 x 60+	128 x 94 x 12 cm	96 x 30 cm	59 kg	643137
	MJHF 2 x 96 x 30+	128 x 94 x 12 cm	2 x 96 x 30 cm	57 kg	643138

Material:	Plastic Frame with Aluminium Back Wall
Light:	2 fluorescent tubes
Color:	White
Specials:	Incl. Electronic ballast, improved light quality. Choose: Desktop-Use or Wallmount

	Frame Measurement	Screen Measurement	Article-No.
Dental-Viewing Box	36 x 17 x 6,5 cm	28,5 x 15,5 cm	643139

	Model	Measurements	Article No.
Accessories for Viewing Boxes	Magnifying Glass, 3,5-times	11 cm Diameter	643035
	Integrated Mag. Glass, 2-time & 4-time, for Model with blends	11 cm Diameter	643036
	Eye-Light IL100S+	5-100 mm Diameter	643170

REGO Lead Markers

(BASIC UDI-DI: 426040542RBSDF)

Material:	Plexiglass
Thickness / Color:	4 mm, : red or yellow
Text-Size:	R/L Signs: 15 mm Numbers-/ Letters: : 5 mm; 7,5 mm; 10 mm Texts: 5 mm or 7,5 mm
Set:	Numbers-Set: 0-9 / Letters-Set: A-Z
Specials:	Text-Sign Markers: Choose Text from standard Text-Types: free choice
Customization:	Text-Sign Markers Custom-Text or Symbols on request To protect the contrast filling: securement with Plexiglass on request

	Text-Size	Article No.
R-Signs rectangular	15 mm	630001
L-Signs rectangular		630002
L, with Initials, up to 4 characters	15 mm	630004
R, with Initials, up to 4 characters		630024
Numbers	5 mm	630025
Numbers Set 0-9, additionally 1, 2 and 1/2		630026
Numbers	7,5 mm	630005
Numbers Set 0-9, additionally 1, 2 and 1/2		630006
Numbers	10 mm	630007
Numbers Set 0-9, additionally 1, 2 and 1/2		630008
Letters A-Z	5 mm	630028
Letters A-Z, Set	5 mm	630029
Letters A-Z	7,5 mm	630009
Letters A-Z, Set	7,5 mm	630010
Letters A-Z	10 mm	630011
Letters A-Z, Set	10 mm	630012
Box 40 Slots	-	630027

Material:	Steel, nickle coated
Text-Size:	15 mm
Specials:	The R and L Signs are fused together by a chain

	Text-Size	Article No.
L+R Metal, with Chain	15 mm	630013

Material:	a.-p.: spring steel; p.-a. spring steel
Measurements of the clip (W x H x D):	15 x 40 x 15 mm
Finish:	a.-p: blank / p.-a: blank
Text-Size:	15 mm
Specials:	To slide on the X-Ray cassette a.-p. and p.-a. marker each acc. to used clip

	Text-Size	Article No.
L+R Metal Clips a.p.		630014
L+R Metal Clips p.a.	15 mm	630015
L to put in/with Magnet		630016
R to put in/with Magnet		630022

Material:	Plexiglass
Text-Size:	5 mm or 7,5 mm

	Text-Size	Article No.
Text-template with Standard-Text	5 mm	630017
(empty Screening, up, down, behind, in front, inner, outer	7,5 mm	630018

Text Sign Markers Custom-Text or with Symbols: on request

Material:	plastic
Color:	orange
Specials:	available: 0-60 minutes, 0-240 minutes with display „Empty“ and „acc. to impulse“

	Article No.
Clock for Gall- and KidneyScreening 0-60 min	630020
Clock for Gall- and KidneyScreening 0-240 min with display "Empty" and "impulse"	630021

Material:	Plastic (PVC)
Color:	grey
Speciality	2 mm

	Article No.
Lead Ruler (Price per 10cm)	121150

(BASIC UDI-DI: 426040542RGLDG)
 Stuttgarter Straße 5 / 86154 Augsburg
 Tel.: +49 (821) 450 435 - 0
 Fax: +49 (821) 450 435 - 11
 info@rego.de

REGO Compensating Filter

(Comp. Filter BASIC UDI-DI: 426040542AGSB9 & Ped. Filter: 426040542PDFCH)

Material:
Baseplate/ Color:
Size:

Aluminiumalloy

Polycarbonate, transparent

Baseplate: established measurements: 170 x 170 mm and 176 x 176 mm

Hilus-Filter for Lung-Tomography, for a.-p. and p.a. Screening:

Classic (made from high-qualityem Acrylglass)

Universal (Special Aluminium Alloy)

for Screening of the Spine, Extremities +/-

for Screening of Foot, for Lung Screenings of female Patients, Thoracic Spine (a.-p.) +/-

for Whole Leg-Screening, standing pelvis, good compensation of thin and broad waists +/-

for Shoulder-Joint-Screening (a.-p)

for Cranial Screening (frontal and lateral)

for Screening of Thoracic Spine (lateral)

for Antetorsions-Screening (Rippstein) in Child-Orthopedics

for Pelvis-Screening (a.-p)

for Abdominal Screening

Pediatric Filter as additional filter for the reduction of X-Rays for Child-Screening

(made from Bimetal or transparent, Measurements: 170 x 176 mm)

Pediatric Filter 1mm Al/0,10 mm Cu

Pediatric Filter 1mm Al/0,20 mm Cu

for Cross Screening Thoracic-Longitudinal Spine, Pelvis +/-

for Screening of Hand and Finger

on request

Shapes:
Customization:

	Measurements	Article No.
Hilus-Filter made of acrylic glass*	-	620001
(* Please indicate at order, if a-p or p-a Screening necessary)		
Hilus-Filter made of Aluminium	-	620002
(Art-No. 620002 is adjustable for Apetures from 159 up to 176 mm)		
Wedge +/-, Thoracic-longitudinal Spine crosssection, Pelvis deep, longitudinal Spine lateral*	150 x 100 x 16 mm	620015
Wedge +/-, Spine Fullscreen longitudinal Spine lateral, Extremities*	155 x 50 x 16 mm	620003
Wedge +/-, Central Foot, Thoracic Spine a-p, Lungs female frontal*	60 x 130 x 10 mm	620004
Wedge +/-, Full-Leg, femoral Neck (axial)*	100 x 130 x 20 mm	620005
(* Pelvis standing and lying)		
Shoulderjoint frontal, Absorptionbody movable*	-	620006
Cranium a-p, p-a, lateral, axial*	-	620007
Spine lateral +/-+*	-	620008
Hip a-p (slim Patients)	-	620009
(* Absorption-Body movable*)		
Abdomen (lateral belly side) Wedge 60 x 120 x 40 mm*	-	620011
Filter for Leg-Comparison-Screenings	-	620023
Hand, Finger*	-	620016
Baseplate 2 mm (Philips)	170 x 170 mm	620030
Baseplate 2 mm (Siemens)	176 x 176 mm	620031

* Please indicate the rail size of the aperture in order to find the fitting measurement.

Stand for up to 6 Filters - also for Wall Assembly

620020

Pediatric Filter (Children) 1 mm Al/0,10 mm Cu, not transparent	170 x 176 mm	620013
Pediatric Filter (Children) 1 mm Al/0,20 mm Cu, not transparent	170 x 176 mm	620014
Pediatric Filter (Children) 1 mm Al/0,10 mm Cu, transparent	170 x 170 mm	620033
Pediatric Filter (Children) 1 mm Al/0,20 mm Cu, transparent	170 x 170 mm	620034
Pediatric Filter (Children) 1 mm Al/0,10 mm Cu, transparent	176 x 176 mm	620035
Pediatric Filter (Children) 1 mm Al/0,20 mm Cu, transparent	176 x 176 mm	620036

Measurements 170 x 176 mm, fitting for most Apetures (Siemens, Philips etc.)

Other formats also available on request, customized sizes 120 € additional cost

REGO X-Ray Cassettes and Accessories/Spare Parts

(BASIC UDI-DI: 426040542RKSEA)

Material of the padding:
Holder:

Surface Coated PU – Foam (CFC-free)

ABS – plastic-injection mold, black

Aluminium-Frame

Frontside: Aluminiumsheet, enamelled RAL 7035

Backside: Aluminiumsheet, blue paint

Frame: Aluminium-Slide-In-Profile

Hinges: Aluminium

Type G

each size available: for 9 x 12 cm – 40 x 120 cm

Established Measurements: 18 x 24 cm, 15 x 30 cm, 24 x 30 cm, 35 x 35 cm, 35 x 43 cm

Custom-Measurements on request

with Metal foil for NDT: on request

Outer Cover:
Models:
Size:
Customization:

	Measurements	Article No.
	13 x 18 cm	120002
	15 x 30 cm	120003
	18 x 24 cm	120005
	18 x 43 cm	120006
	20 x 40 cm	120007
	24 x 30 cm	120012
	30 x 30 cm	120013
	30 x 40 cm	120014
	35 x 35 cm	120019
	35 x 43cm	120020

X-Ray Cassette

Other Formats on request

Elastic Cassettes on request

Panneling on request

Leadvinyl-Divider

(BASIC UDI-DI: 426040542BGAAA)

		Measurements	Article No.
Leadvinyl-Divider 1,0 mm	(1) 13 x 18 cm	15,5 x 20,5 cm	155102
Leadvinyl-Divider 1,0 mm	(2) 18 x 24 cm	20,5 x 26,5 cm	155103
Leadvinyl-Divider 1,0 mm	(3) 24 x 30 cm	26,5 x 32,5 cm	155104
Leadvinyl-Divider 1,0 mm	(4) 20 x 40 cm	22,5 x 42,5 cm	155108
Leadvinyl-Divider 1,0 mm	(5) 30 x 40 cm	32,5 x 42,5 cm	155105
Leadvinyl-Divider 1,0 mm	(6) 35 x 35 cm	38,0 x 38,0 cm	155106
Leadvinyl-Divider 1,0 mm	(7) 35 x 43 cm	38,0 x 46,0 cm	155107
Leadvinyl-Divider 1,0 mm longitudinal division	(1) 13 x 18 cm	7,8 x 20,5 cm	155122
Leadvinyl-Divider 1,0 mm longitudinal division	(2) 18 x 24 cm	10,3 x 26,5 cm	155123
Leadvinyl-Divider 1,0 mm longitudinal division	(3) 24 x 30 cm	13,3 x 32,5 cm	155124
Leadvinyl-Divider 1,0 mm longitudinal division	(4) 20 x 40 cm	11,3 x 42,5 cm	155128
Leadvinyl-Divider 1,0 mm longitudinal division	(5) 30 x 40 cm	16,3 x 42,5 cm	155125
Leadvinyl-Divider 1,0 mm longitudinal division	(6) 35 x 35 cm	19,0 x 38,0 cm	155126
Leadvinyl-Divider 1,0 mm longitudinal division	(7) 35 x 43 cm	19,0 x 46,0 cm	155127
Leadvinyl-Divider 1,0 mm oblong division	(1) 13 x 18 cm	15,5 x 10,3 cm	155142
Leadvinyl-Divider 1,0 mm oblong division	(2) 18 x 24 cm	20,5 x 13,3 cm	155143
Leadvinyl-Divider 1,0 mm oblong division	(3) 24 x 30 cm	26,5 x 16,3 cm	155144
Leadvinyl-Divider 1,0 mm oblong division	(4) 20 x 40 cm	22,5 x 21,3 cm	155148
Leadvinyl-Divider 1,0 mm oblong division	(5) 30 x 40 cm	32,5 x 21,3 cm	155145
Leadvinyl-Divider 1,0 mm oblong division	(6) 35 x 35 cm	38,0 x 19,0 cm	155146
Leadvinyl-Divider 1,0 mm oblong division	(7) 35 x 43 cm	38,0 x 23,0 cm	155147

Also available as rolls

	Measurements	Article No.
Cassettes-Fastening for G and GR Cassettes	9 x 12 cm	812001
	13 x 18 cm	812002
	15 x 40 cm	812003
	18 x 24 cm	812004
	18 x 43 cm	812005
	20 x 40 cm	812006
	20 x 60 cm	812007
	20 x 96 cm	812008
	24 x 30 cm	812009
	30 x 30 cm	812010
	30 x 40 cm	812011
	30 x 90 cm	812012
	30 x 120 cm	812013
	35 x 35 cm	812014
	35 x 43 cm	812015
	35 x 72 cm	812016
	35 x 107 cm	812017
	40 x 40 cm	812018

	Measurements	Article No.
Foam-Inlay	9 x 12 cm	821001
	13 x 18 cm	821002
	15 x 30 cm	821003
	15 x 40 cm	821004
	18 x 24 cm	821005
	20 x 40 cm	821006
	20 x 60 cm	821007
	20 x 80 cm	821019
	20 x 96 cm	821008
	24 x 30 cm	821009
	30 x 30 cm	821010
	30 x 40 cm	821011
	30 x 90 cm	821012
	30 x 120 cm	821013
	35 x 35 cm	821014
	35 x 43 cm	821015
	35 x 107 cm	821016
	40 x 40 cm	821017
	18 x 43 cm	821018

	Measurements	Article No.
Lead-Inlay	9 x 12 cm	822001
	13 x 18 cm	822002
	15 x 30 cm	822003
	15 x 40 cm	822004
	18 x 24 cm	822005
	20 x 40 cm	822006
	20 x 60 cm	822007
	20 x 80 cm	822019
	20 x 96 cm	822008
	24 x 30 cm	822009
	30 x 30 cm	822010
	30 x 40 cm	822011
	30 x 90 cm	822012
	30 x 120 cm	822013
	35 x 35 cm	822014
	35 x 43 cm	822015
	35 x 107 cm	822016
	40 x 40 cm	822017
	18 x 43 cm	822018

	Measurements	Article No.
Restoration Cassette Fastening G and GR	9 x 12 cm	810001
	13 x 18 cm	810001
	18 x 24 cm	810001
	15 x 40 cm	810002
	18 x 43 cm	810002
	20 x 40 cm	810002
	24 x 24 cm	810002
	24 x 30 cm	810002
	30 x 30 cm	810002
	30 x 40 cm	810002
	35 x 35 cm	810002
	35 x 43 cm	810002
	40 x 40 cm	810002
	20 x 60 cm	810003
	20 x 80 cm	810003
	20 x 96 cm	810003
	30 x 80 cm	810003
	30 x 90 cm	810003
	30 x 120 cm	810003

	Measurements	Article No.
Restoration of PU-Foam and Leadfoil Cassette-Types G/GR and MV	9 x 12 cm	820001
	13 x 18 cm	820001
	18 x 24 cm	820001
	15 x 40 cm	820002
	18 x 43 cm	820002
	20 x 40 cm	820002
	24 x 24 cm	820002
	24 x 30 cm	820002
	30 x 30 cm	820002
	30 x 40 cm	820002
	35 x 35 cm	820002
	35 x 43 cm	820002
	40 x 40 cm	820002
	20 x 60 cm	820003
	20 x 80 cm	820003
	20 x 96 cm	820003
	30 x 80 cm	820003
	30 x 90 cm	820003
	30 x 120 cm	820003

	Article No.
Exchange of Illumination-Windows	820050
Flat Rate for Testing 1 X-Ray Cassette (Non-Repair)	960005

Additional Restoration will be charged additionally

REGO Intensifying Screens

(BASIC UDI-DI: 426040542VSFEU)

Material:	green-emitting (Rare Earths) blue-emitting (Base: Calcium Wolframmat)
Speedclass:	100, 200, 400, 800
Assembly:	to stick into the Cassettes
Formats:	other formats on request: für 9 x 12 cm up to 40 x 40 cm

	Measurements	Article No.
Intensifying Screens, GR 200, green-emitting, 1 Pair	9 x 12 cm	222101
	13 x 18 cm	222102
	15 x 30 cm	222103
	15 x 40 cm	222104
	18 x 24 cm	222105
	18 x 43 cm	222106
	20 x 40 cm	222107
	20 x 60 cm	222108
	20 x 80 cm	222109
	20 x 96 cm	222110
	24 x 24 cm	222111
	24 x 30 cm	222112
	30 x 30 cm	222113
	30 x 40 cm	222114
	30 x 60 cm	222119
	30 x 80 cm	222120
	30 x 90 cm	222115
	30 x 120 cm	222121
	35 x 35 cm	222116
	35 x 43 cm	222117
	40 x 40 cm	222118

	Measurements	Article No.
Intensifying Screens, GR 400, green-emitting, 1 Pair	9 x 12 cm	222201
	13 x 18 cm	222202
	15 x 30 cm	222203
	15 x 40 cm	222204
	18 x 24 cm	222205
	18 x 43 cm	222206
	20 x 40 cm	222207
	20 x 60 cm	222208
	20 x 80 cm	222209
	20 x 96 cm	222210
	24 x 24 cm	222211
	24 x 30 cm	222212
	30 x 30 cm	222213
	30 x 40 cm	222214
	30 x 60 cm	222219
	30 x 80 cm	222220
	30 x 90 cm	222215
	30 x 120 cm	222221
	35 x 35 cm	222216
	35 x 43 cm	222217
Intensifying Screens, GR 800, green-emitting, 1 Pair	40 x 40 cm	222218
	9 x 12 cm	222351
	13 x 18 cm	222352
	15 x 30 cm	222353
	15 x 40 cm	222354
	18 x 24 cm	222355
	18 x 43 cm	222356
	20 x 40 cm	222357
	20 x 60 cm	222358
	20 x 80 cm	222359
	20 x 96 cm	222360
	24 x 24 cm	222361
	24 x 30 cm	222362
	30 x 30 cm	222363
	30 x 40 cm	222364
	30 x 60 cm	222369
	30 x 80 cm	222370
	30 x 90 cm	222365
	30 x 120 cm	222371
	35 x 35 cm	222366
	35 x 43 cm	222367
	40 x 40 cm	222368
	Measurements	Article No.
Intensifying Screens NP 400, blue-emitting, 1 Pair	9 x 12 cm	221101
	13 x 18 cm	221102
	15 x 30 cm	221103
	15 x 40 cm	221104
	18 x 24 cm	221105
	18 x 43 cm	221106
	20 x 40 cm	221107
	20 x 60 cm	221118
	20 x 80 cm	221119
	20 x 96 cm	221108
	24 x 24 cm	221109
	24 x 30 cm	221110
	30 x 30 cm	221111
	30 x 40 cm	221112
	30 x 60 cm	221120
	30 x 90 cm	221113
	35 x 35 cm	221114
	35 x 43 cm	221115
	40 x 40 cm	221116
Intensifying Screens NP 800, blue-emitting, 1 Pair	9 x 12 cm	221171
	13 x 18 cm	221172
	15 x 30 cm	221173
	15 x 40 cm	221174
	18 x 24 cm	221175
	18 x 43 cm	221176
	20 x 40 cm	221177
	20 x 60 cm	221188
	20 x 80 cm	221189
	20 x 96 cm	221178
	24 x 24 cm	221179
	24 x 30 cm	221180
	30 x 30 cm	221181
	30 x 40 cm	221182
	30 x 60 cm	221190
	30 x 90 cm	221183
	35 x 35 cm	221184
	35 x 43 cm	221185
	40 x 40 cm	221186
	Article No.	
Screen Cleaner, antistatic, Bottle 250 ml	201001	(BASIC UDI-DI: 426040542FLRCF)
Screen Cleaner, antistatic, Bottle 250 ml m. Diffusor	201002	

REGO Detector-/Cassettes-Holder

(BASIC UDI-DI: 426040542KAHBK)

Material:	R-Cassettes-Holder Eloxated Aluminium Screening without grid	B-Cassettes-Holder Eloxated Aluminium Screening without grid	W-Cassettes-Holder Eloxated Aluminium Screening without grid
Properties:	High Sturdiness Low Weight (approx. 2,5 kg) Fixation to Grid Wall Tripod	High Sturdiness Low Weight (approx. 2,5 kg) Fixation to Grid Wall Tripod	High Sturdiness Low Weight (approx. 2,5 kg) Wall Assembly
Attachment:	Fitting for all established Frontplates with Flat-Rail, DIN-Profile-Rail	Fitting for all established Frontplates with Flat-Rail, DIN-Profile-Rail	
Cassettes-Sizes:	13 x 18 cm – 35 x 43 cm up to 30 x 90 cm up to 30 x 120 cm	18 x 24 cm – 35 x 43 cm 60 – 120 cm Length (for large Cassettes)	18 x 24 cm – 35 x 43 cm 60 – 120 cm Length (for large Cassettes) 210 cm (Pole-Length; for whole Body Screening)
Special Functions:		adjustable height (5 cm Steps through latching bolts)	adjustable height (5 cm Steps through latching bolts)

	Measurements	Article No.
Cassettes-Holder R for Cassettes	13x18 - 35x43 cm	102124
Cassettes-Holder R for Cassettes with Saving Screen and Grid	up to 35x124 cm	102126
Cassettes-Holder B for Cassettes	13x18 - 35x43 cm	102119
Cassettes-Holder B for Cassettes with Saving Screen and Grid	18x24 - 35x124cm	102120
Cassettes-Holder W for Wall Assembly	18x24 - 35x43 cm	102115
Cassettes-Holder W Whole Body Screening / Pole-Length	210 cm	102117

for other Cassette-Size on request

	Measurements	Article No.
Cassettes-Holder, to clip in lateral rails of Wall grid: Cassettes-Holder R for Grid Wall System	13x18 - 35x43 cm	102113
Cassettes-Holder, to clip in lateral rails of Wall grid: Cassettes-Holder B for Grid Wall System	18x24 - 35x43 cm	102114

Material:	Cassettes-Holder for Grid-Tunnel Grey plastic with Aluminiumprofile	Cassettes-Holder for Special- and Bed-Screening Grey plastic with Aluminiumprofile
Properties:	Cassette usable on vertical level Usable for Grid-Tunnel and Cassette	Cassette usable on vertical level
Attachment:	Portable Cassettes-Holder 13 x 18 cm up to 35 x 43 cm	Portable Cassettes-Holder 13 x 18 cm up to 35 x 43 cm
Cassette-Sizes:	Thickness of Grid-Tunnel varies	Also for Grid-Cassettes with thickness up to 16 mm

	Measurements	Article No.
Cassettes-Holder for Special- and BedScreening	up to 35 x 43 cm	102121
Grid-Tunnel-Holder for Special- and BedScreening	up to 35 x 43 cm	102122

Fields of Use:	Radiology and Radiation Therapy
Material:	Painted Metal-Construction, partially stainless steel
Technical Details	Bearings between clamp-piece and tubes Fitting Cocking Lever (Decocking through raising) for simple Fixation with minimum effort mobile with 4 rolls and brake
Attachment:	32 kg (without Detector/ Cassette)
Weight:	Usable for digital Detectors, Cassettes (with / without steel foil) and Gridbackside with Cassettes
Properties:	Non-tilting in each Detector-/ Cassette-Position
Cassette-Size:	13 x 18 cm up to 35 x 43 cm adjustable height für 0 cm up to 184 cm Rotatable Cassette Axis: vertical to the left / right up to 90° Rotatable Cassette: on level around 360° Tiltable Cassette: on level around 90°
Settings:	on request
Customization:	on request

	Measurements	Article No.
Detector / Cassettes-Holder, mobile	18x24 - 35x43 cm	102125
Cassettes-Holder for max. 3 Cassettes each 35 x 43 cm, Pole-Length	210 cm	102130
Packaging for Cassettes-Holder mobile	-	102132

R-, B-Holders to clip in lateral rails fitting for Siemens, General Electrics and other established Grid Wall Systems. Shall the Holder be fixed to a Grid Wall System via Eurorail (z. B. Philips), please indicate at order

REGO Special-Grid

(BASIC UDI-DI: 426040542RGRDU)

Material:

Aluminium-/Leadlamellae (interchanging pattern in the grid)
up to 3 mm

Grid-Thickness:

Ratio 6: 60 Lines/cm; 70 Lines/cm; 80 Lines/cm

Ratio 8: 40 Lines/cm; 60 Lines/cm; 70 Lines/cm; 80 Lines/cm

Ratio 10: 40 Lines/cm; 60 Lines/cm; 70 Lines/cm; 80 Lines/cm

Ratio 12: 40 Lines/cm; 60 Lines/cm; 70 Lines/cm; 80 Lines/cm

Ratio; Lines/cm:

In each established Sizes:

40 Lines/cm: from 13 x 18 cm up to 40 x 40 cm

60 Lines/cm: from 18 x 24 cm up to 40 x 40 cm

Formats:
Custom Measurements or Line-Number:

on request

	Measurements	Article No.
Special-Grid, Type 40/8 parallel or focused	13 x 18 cm	331100
	18 x 24 cm	331101
	20 x 40 cm	331102
	20 x 60 cm	331103
	20 x 80 cm	331104
	20 x 96 cm	331105
	24 x 30 cm	331106
	30 x 40 cm	331107
	30 x 60 cm	331115
	30 x 90 cm	331108
	35 x 35 cm	331109
	35 x 43 cm	331110
	40 x 40 cm	331111
Special-Grid, Type 40/10 parallel or focused	13 x 18 cm	331200
	18 x 24 cm	331201
	20 x 40 cm	331202
	20 x 60 cm	331203
	20 x 80 cm	331204
	20 x 96 cm	331205
	24 x 30 cm	331206
	30 x 40 cm	331207
	30 x 60 cm	331215
	30 x 90 cm	331208
	35 x 35 cm	331209
	35 x 43 cm	331210
	40 x 40 cm	331211
Special-Grid, Type 40/12 parallel or focused	13 x 18 cm	331300
	18 x 24 cm	331301
	20 x 40 cm	331302
	20 x 60 cm	331303
	20 x 80 cm	331304
	20 x 96 cm	331305
	24 x 30 cm	331306
	30 x 40 cm	331307
	30 x 60 cm	331315
	30 x 90 cm	331308
	35 x 35 cm	331309
	35 x 43 cm	331310
	40 x 40 cm	331311
Special-Grid, Type 60/6 parallel or focused	18 x 24 cm	333101
	20 x 40 cm	333102
	20 x 60 cm	333103
	20 x 80 cm	333104
	20 x 96 cm	333105
	24 x 30 cm	333106
	30 x 40 cm	333107
	30 x 90 cm	333108
	35 x 35 cm	333109
	35 x 43 cm	333110
	40 x 40 cm	333111
Special-Grid, Type 60/8 parallel or focused	18 x 24 cm	333301
	20 x 40 cm	333302
	20 x 60 cm	333303
	20 x 80 cm	333304
	20 x 96 cm	333305
	24 x 30 cm	333306
	30 x 40 cm	333307
	30 x 90 cm	333308
	35 x 35 cm	333309
	35 x 43 cm	333310
	40 x 40 cm	333311

	Measurements	Article No.
Special-Grid, Type 60/10 parallel or focused	18 x 24 cm	333401
	20 x 40 cm	333402
	20 x 60 cm	333403
	20 x 80 cm	333404
	20 x 96 cm	333405
	24 x 30 cm	333406
	30 x 40 cm	333407
	30 x 90 cm	333408
	35 x 35 cm	333409
	35 x 43 cm	333410
	40 x 40 cm	333411
Special-Grid, Type 60/12 parallel or focused	18 x 24 cm	333201
	20 x 40 cm	333202
	20 x 60 cm	333203
	20 x 80 cm	333204
	20 x 96 cm	333205
	24 x 30 cm	333206
	30 x 40 cm	333207
	30 x 90 cm	333208
	35 x 35 cm	333209
	35 x 43 cm	333210
	40 x 40 cm	333211

Other Formats 70, 80 Lines/cm on request

Grid for Cassettes with Saving Screen (with CFK-Profile and Cover)

	Measurements	Article No.
Type 60/8 Focus 200 cm	35 x 84 cm	333450
Type 60/8 Focus 200 cm	35 x 124 cm	333451
Type 60/8 Focus 200 cm and Suspension Device	35 x 84 cm	333452
Type 60/8 Focus 200 cm and Suspension Device	35 x 124 cm	333453

	Measurements	Article No.
Wooden Box for # 333450, 333451, 333452 and 333453	-	960003

REGO Smit-Grid/ Smit-Bucky Grid

(BASIC UDI-DI: 426040542SMTEP)

Material:

Highly-transparent Gap-Material

Grid-Thickness:

up to 5 mm

Assembly:

mobile or at Buckytable

Lines/cm / Ratio *:

Smit-Grid: 44/8, 44/10, 44/12, 60/10

* ex.: 44/8: 44 Lines/cm with a Ratio of 8:1

Smit-Bucky Grid: 36/8; 36/10, 36/12, 44/8, 44/10, 44/12, 60/10, 60/13

Formats:

Smit-Grid: in each Size from 13 x 18 cm up to 40 x 40 cm

Smit-Bucky Grid: 48 x 43,8 cm (Outer Measurements)

	Measurements	Article No.
Ratio 8:1, 36 Lines/cm (90 Lines/inch)	3,3 mm	322410
Ratio 10:1, 36 Lines/cm (90 Lines/inch)	3,8 mm	322411
Ratio 12:1, 36 Lines/cm (90 Lines/inch)	4,3 mm	322412
Ratio 8:1, 44 Lines/cm (110 Lines/inch)	2,8 mm	322420
Ratio 10:1, 44 Lines/cm (110 Lines/inch)	3,3 mm	322421
Ratio 12:1, 44 Lines/cm (110 Lines/inch)	3,8 mm	322422
Ratio 10:1, 60 Lines/cm (150 Lines/inch)	2,8 mm	322430
Ratio 13:1, 60 Lines/cm (150 Lines/inch)	3,3 mm	322431

Smit Grid with different specifications on request

REGO Gridframe and Frame Cover

(BASIC UDI-DI: 426040542RABCA) & (426040542SCBCM)

Material:

CFK or stainless steel

Weight:

without Grid: 0,65 kg

Formats:

24 x 30 cm, 35 x 43 cm

Specials:

1-piece Housing CFK
for Grids of each Specification

	Measurements	Article No.
slipon Gridframe - made from stainless steel - for all formats up to	35 x 43 cm	301001
slipon Gridframe made from CFK	24 x 30 cm	302041
slipon Gridframe made from CFK / Insertion small Seite	35 x 43 cm	302040
slipon Gridframe made from CFK / Insertion broad Seite	35 x 43 cm	302042
CFK-Frame Cover for D-EVO Detector (for Fuji)	35 x 43 cm	302050
Cover made from CFK f. Gridframe	up to 24 x 30 cm	301002
Cover made from CFK f. Gridframe	up to 35 x 35 cm	301003
Cover made from CFK f. Gridframe	up to 35 x 43 cm	301004
Cover made from CFK f. Gridframe	up to 43 x 48 cm	301005

Material:	CFK/Polyethylene/CFK (2,0/20/2,0 mm)
Weight:	exterior: CFK, interior: Gum-Metal-Buffer 1,9 kg
Measurements (B x H x T):	exterior Measurements: 51,1 x 43 x 2 cm interior Measurements: 46,1 x 38,6 x 1,6 cm (without Gum-Metal)
Formats:	35 x 43 cm Inclusive Transportation Handle
Specials:	Inclusive sprung stainless Steel-Push-Fastening Grid-Insertion possible Other Sizes on request
Customization:	Applicable to every Detectorbrand: Recess for LED's, Plug etc. on request

	Measurements	Article No.
CFK-Frame Cover Sandwich-System. FUJI Detector EVO	35 x 43 cm	302051

REGO Frame Cover with Lock

(BASIC UDI-DI: 426040542SAVDP)

Material:	CFK, stainless steel
Weight:	1,4 kg
Measurements (W x H x T):	47,5 x 46,3 x 2,5 cm
Formats:	35 x 43 cm Inclusive Transportation Handle on the long or short side
Specials:	Inclusive CFK-Inlay Inclusive flat edges Usable for net based X-Ray Systems

	Measurements	Article No.
Frame Cover with Lock (long side)		302060
Frame Cover with Lock (short side)		302061

REGO Heavy Duty – Cover for Detectors

(BASIC UDI-DI: 426040542SLSEJ)

Fields of use:	Bariatry and Podiatry
Material:	CFK, Polycarbonate
Weight:	3 kg
Measurements (W x H x D):	430 x 510 x 37 mm
Formats:	35 x 43 cm Inclusive non-slip rubber foot
Specials:	Inclusive marked target area Guaranteed Load (max.): 192 kg

	Measurements	Article No.
Heavy Duty – Cover for Detectors	35 x 43 cm	302062
Heavy Duty – Cover for Detectors (carbon fiber)	35 x 43 cm	302065

REGO Weight Distribution Platform

(BASIC UDI-DI: 426040542GVPDE)

Fields of use:	Screening of Knees, lower leg, ankle and feet
Material:	HDPE Plastic and stainless steel
Weight:	1-step: 20 kg / 2-steps: 60 kg
Measurements (W x H x D):	1-step: 60 x 104 x 51 cm (Stepheight: 15 cm) 2-steps: 71 x 130 x 84 cm (1. Step: 19 cm, 2. Steps: 38 cm)
Formats	35 x 43 cm, 43 x 43 cm
Amount of Detector-Slots	1-step: 1 / 2-steps: 5 Inclusive non-slip rubber feet
Specials	Inclusive non-slip Platform Surface Inclusive Steelrailing Inclusive Rolls on the backside Garanteed Load (max.): 340 kg

	Article No.
Weight Distribution Platform 1-step	302063
Weight Distribution Platform 2-steps	302064

REGO Devices

Dosimetry (BASIC UDI-DI: 426040542DSMCG)

Dosimetry Alpha Plus for Constancy Testing

Fields of use:	Constancy-Testing on X-Ray-machineries
Dose-Display:	0,000 Gray – 99,99 Gray
Time-Display:	0,001 seconds – 9999 seconds
Weight:	300 grams
Measurements (W x H x D):	95 x 165 x 30 mm
Interface:	PC (SUB-D-Stecker)
Power Supply:	9V Alkaline-Blockbatteries, 30 Hours duty
Specials:	Basic Device with connection for exchangeable Detectors and Screen for: Dose, Dose-Power and Record-Time

Article No.

**Dosimetry for Constancy-Testing > Basic Device Alpha Plus
(Detector not included, separately available)**

522035

Dosissensor: FingerDetector

Fields of use:	Constancy Testing on digital X-Ray machineries
Basic Device:	Alpha Plus
Dose-Power Range:	0,1 mGy/s – 500 mGy/s
Elec. Power:	50 kV – 155 kV
Precision of Measurement:	better than 5% under Reference-Conditions
Cable Length:	130 cm
Specials:	Usable as external Sensor and also for Use in Patient Equivalence Filter Inclusive screwable Plug-In-Connection Inclusive flexible Cable

Article No.

Finger-Detector (for # 522035) for all analogue/digital machineries

522036

Weakening Body (for # 522036)

522038

Detector in the patient equivalence filter (for reference dosimeter Alpha Plus)

522039

Dose-Sensors: Mammography-Detector

Fields of use:	Constancy Testing on analogue and digital X-Ray Devices
Basic Device:	Alpha Plus
Material:	Plastic Housing
Dose-Power Range:	0,1 mGy/s – 500 mGy/s
Elec. Power:	22 kV – 55 kV
Cable-Length:	130 cm
Weight:	50 Gramm
Measurements (W x H x D):	17 x 45 x 15 mm
Specials:	Inclusive screwable Plug-In-Connection Inclusive flexible Cable

Article No.

Mammography-Detector (for # 522035) for Mammography-Dose-Measurement

522037

Sensitometer Type C „Dual-Color“

Fields of use:	Quality Control of screen processing of X-Ray
Number of Density Steps:	21, stepwise increase of constant 0,15
Spectral Precision:	Max. green: 512 nm Max. blue: 455 nm
Power Supply:	9V Blockbatteries or on request electric power supply
Weight:	820 Gramm
Measurements (W x H x D):	212 x 58 x 130 mm
Specials:	greensensitive and bluesensitive Illumination/ Testing possible

Article No.

**Sensitometer Type C "Dual-Color",
switchable for blue/greensensitive Screens**

522109

Densi/Sensi Combination Device Densonorm 21 Eco

Fields of use:	Quality Control of screen processing of X-Ray
Amount of Density Intervals:	21, stepwise increase of constant 0,15
Spectral Precision:	Max. green: 512 nm Max. blue: 455 nm
Power Supply:	Power supply 230 V or 120 V Plug out: 9,5 V +/- 0,5 V/ 500 mA
Weight:	1.000 Gramm
Measurements (W x H x D):	240 x 190 x 85 mm
Specials:	greensensitive and bluesensitive Illumination/ Testing possible Combination Device: Sensitometer and Densitometer together

Article No.

**Sensitometer Type C "Dual-Color",
switch between blue/greensensitive Screens**

522022

Dosimeter for Measuring of Dose Area Products

Fields of use:

Assembly:

Power Supply:

Interface:

Specials:

IDP

Measuring System for Dose Area Product with Upper Table Tubes

Insertion in the Aperture

Light Visor or Power Supply(Cable)

PC/Printer Interface

Inclusive internal illuminated Display

Inclusive transparent

Ionisations-Chamber

Additional

Inclusive Connection Cable

Inclusive Punch In-Connection

SDP

PC/ Printer Interface

Inclusive external, single line, illuminated Display

Inclusive transparent

Ionisation-Chamber

Additional Insertionframe or Adapter in different Sizes on request

Inclusive Connection Cable

Inclusive Push Connection

	Article No.
Type IDP	522030
Type SDP	522031

Testing Subject DIGI-13

Fields of use:

Test-Objects:

Material:

Measurements (W x H x D):

Specials:

Constancy-Testing and Loss-Testing on CR/DR Radiography-Systems

7 step stair made from Copper

Lower Contrast Object made from Aluminiumslices in different sizes

Lead Grid with 0,6 – 5,0 Lp/mm

Base-Copperplate

Weakening Body: 25 mm Aluminium

300 x 300 x 1,0 mm

Many more individual Test-Objects integrated on a Testing Subject-Holder

	Article No.
Testing Subject-Holder DIGI-13 + Aluminiumfilter	522032
Light Density-Measuring Device / LX with Case	522033

Safe Light – LED-X

(BASIC UDI-DI: 426040542DKLBN)

Fields of use:

Material/ Color:

Assembly:

Power Supply:

Weight:

Measurements (W x H x D):

Storage and Enviroment:

Specials:

Processing green/bluesensitive screens in dark rooms, for all X-Rayfilm Types and Dentalfilms

plastic, white

Wall Assembly

AC 110-230 V / 50-60 Hz

20 LED's: DC 12 V / 700 mA, 5W

400 grams

110 x 70 x 160 mm

Temperature: -30°C - + 50°C

Moisture: 30% - 90% (without Condensation)

Red Light (640 nm)

Inclusive Light Adjustment on the back

Inclusive 1,5 m Cable

	Article No.
Safe Light – LED – X, 5 Watt, for Wall Assembly (with Light Control)	643011
Safety Shield "X-Ray, No Entry for Non-Authorized Personnel" (White Plastic Shield 150 x 200 mm with black/yellow Print acc. to Unfallverhütungsvorschrift VBG 125)	121200
Safety Shield "X-Ray, No Entry", Sticker	121201



Notes

Terms & Conditions

1. These General Terms and Conditions apply to all contracts for the delivery of goods concluded via our online shop or by other means.
2. The general terms and conditions of the buyer do not apply. They shall also not apply, if we do not particularly contradict them.
3. Contract Conclusion Online Shop: The presentation of products in the online shop does not constitute a legally binding offer, but rather a non-binding invitation to place an order. By clicking the "Order" button, the customer submits a binding order. The contract is concluded upon express order confirmation. Consumers receive their order confirmation by email.
4. Delivery and charging is based on the terms and conditions valid on the day of shipping, unless there was a binding offer beforehand for the buyer. The day of shipping is the day, when the goods are delivered to the shipper, train, post or to another consignor.
5. Unless otherwise agreed, the invoice amount is payable net within 30 days. After 30 days, the customer is automatically in default pursuant to Section 286 Paragraph 2 No. 1 of the German Civil Code (BGB). In case of default, statutory default interest pursuant to Section 288 of the German Civil Code (BGB) applies. Furthermore, default by the buyer on any of our claims releases us from any further delivery obligations.
6. We grant a 2% discount for payments made within 10 days.
7. Express shipping is only available at the express request of the customer and at the customer's expense.
8. As far as terms of delivery have been agreed, they do not apply in case of interrupted production processes, especially because of fire, explosion, floodings, engine trouble or regulatory actions and because of force majeure, including strikes, lockouts, warlike or terrorist occasions. The deadline is also cancelled in case of the named occasions at a supplier, who supplies the necessary materials for our products. In the named cases we have the option, to discontinue also another supply without paying compensation. The delivery time is calculated in case of doubt from the day of the order confirmation till the day of the shipping.
9. Partial shipping- and packaging costs will be calculated. A transport insurance takes place only on request and only by reimbursement of costs. In case of orders less than 100,00 EUR net value there will be calculated a small quantity surcharge. In case of credit advice for returning goods, that are for our part unindebted, an amount at most 20% of the net value, but 20,00 EUR minimum for coverage of the internal expenses and the delivery charges will be deducted. If returning goods are not carefully and impeccably packaged, we do not assume liability.
10. We reserve us the proprietary rights of all goods, supplied by us, till the buyer has paid all receivables including interest and costs. Pledge or a transfer to innocent bystanders by buyer are illegal.
11. In case of pledge of our goods by third parties the buyer is required to inform us immediately.
12. If we receive any inappropriate or dissatisfying information about the buyer after the conclusion of contract, we have the right, to terminate the contract because of this reason and / or to claim for our claims and / or the current contract guarantees.
13. In case of draft and cheque payment the buyer has to pay the discount charges and all other costs. Also, the buyer has to pay draft and cheques which are not covered. Draft and cheques are only accepted on account of performance. Payment is considered to be effected only after credit to our account has been confirmed by our bankers. A processing fee of 3% of the amount due will be charged for credit card payments.
14. The buyer is competent to charge against claims, if his consideration is uncontested or legally binding. The buyer's rights of retention are excluded, as far as they do not base on the same contractual relationship.
15. Notices of defects are to be argued immediately, but within 8 days after receipt of the goods at the latest, as far as the buyer is a trader and there are no hidden defects.
16. The statute of limitation of claims for defects is one year. This does not apply, if the defect was withheld fraudulently, there is a guarantee commitment, there are damages based on injury of life, of body or of healthiness or the damage based on a reckless endangerment or fundamental breach on our part or on our representatives or on our performing agent.
17. The claims become invalid by legal terms, independent of previous or subsequent clauses of this contract by injury of life, of body or of healthiness, which are based on a negligent or a nonnegligent violation of duty of our legal representatives or performing agents. The same applies to claims based on fraudulent concealment or those, arisen by an explicit written given warranty.
18. For other damages than claims for defects we are only liable, as far as this is mandatory legally, in case of with intent, of reckless endangerment on our part, our representatives or our performing agents, of injury of life, of body or of healthiness, which are based on our part negligence, our representatives or our performing agents. The same applies to damages, which accrued by fraudulent concealment or accrued in contrary to an explicit written granted warranty.
19. We are not liable for the aimed success at the customer.
20. Our liability for the rest is excluded for ordinary negligence.
21. If we have to take a legal action for enforcement of not paid claims, all other payable claims may be also sued, even if there is no event of default.
22. Consumers have a statutory right of withdrawal.
23. Returns must be registered in advance.
24. The customer agrees that his personal data will be processed and stored, as this is necessary for consummation of this contract. This also applies to settlement of payment.
25. The place of performance is Augsburg.
26. The place of jurisdiction is Augsburg if the customer runs a business within the meaning of the German Commercial Code (HGB). In this case we are allowed to litigate at the place of main office or branch office of the customer.
27. If the customer has no domestic place of general jurisdiction or if he transfers his place of residence out of Federal Republic of Germany after the conclusion of contract, Augsburg is the place of jurisdiction. This also applies, if the residence of the employer is unknown at the moment of commencement of proceedings.
28. German law applies with the exception of international codifications like for example CISG (Convention on Contracts for International Sale of Goods).

Please consider the information and illustrations in this brochure as non-binding. We reserve the right to make changes.

Changes to the delivered item compared to the models shown here may occur.

rego

RÖNTGENZUBEHÖR

X-RAY ACCESSOIRES

REGO X-RAY GmbH
Stuttgarter Straße 5 86154 Augsburg
Tel.: +49 (821) 450 435 - 0
Fax: +49 (821) 450 435 - 11
info@rego.de
www.rego.de